

Applications: Traditional and professional machine built using the classic and reliable transmission system with cast iron gears and poly-V belt.



EVO 350

EVO180

CHARACTERISTICS

- Single phase motor 230V/50 Hz (excluding mod. 500) ○
- Cast iron crown and pinion transmission ○
- Switch with IP 55 minimum voltage coil, thermal protection and IP 67 EEC plug ○
- Mushroom emergency stop push button ○
- Poly-V belt transmission with belt tightener ○
- Steel drum built in 3 parts ○
- Semi pneumatic rubber wheels with steel rims ○
- Drawbar for handling ○
- Available on request with 380V/50 Hz motor (excluding mod. 180) ○
- Available on request with petrol and diesel engines (mod. 180 petrol only) ○
- Available on request in 4 wheel version (excluding mod. 180) ○

TECHNICAL DATA

		180	320	350	500
Drum capacity	lt	180	300	350	500
Output*	lt	150	250	300	430
Mixes per hour	N°	26	26	26	26
Single phase electric motor power	Hp	0,75	1,5 / 2	2	-
Three phase electric motor power	Hp	-	1,5	1,5	2
Petrol engine power	Hp	2,8	3,9 / 6	3,9 / 6	3,9 / 6
Diesel engine power	Hp	-	7,5	7,5	7,5
Electric version weight	Kg	115	208	210	290
Dimensions L x W x H	Cm	154 / 81 / 127	180 / 92 / 148	180 / 92 / 148	195 / 115 / 163
Value Lpa g Elect/Int. Comb./Diesel	dB	78/85/-	77/85/97	77/85/97	77/85/97