CATALOG

Rubber balls in NBR, EPDM, VMQ, EU and NBR food approved



Floating rubber ball for sanitary traps at milking plants.



Solid rubber ball applied at the valve for watering device.

On customer's request all of our products can be produced with compounds different than those mentioned.

Solid rubber balls - rectified

Tedeschi Gomma's solid rubber balls are basically used as valves for vacuum pumps assisted on Wellpoint systems (pumps at construction sites), valves for watering devices, shock absorbers for bumps for trucks reversing and as sealing valves for submersible pumps.

Product code	DIAMETER	RUBBER TYPE	WEIGHT GR.
SF00021	12	NBR 60 Sh/A	1,6
SF00025	14	NBR 60 Sh/A	1,7
SF00026	14	NBR 75 Sh/A	1,8
SF00029	15	NBR 45 Sh/A	2
SF00030	15	NBR 60 Sh/A	2,3
SF00031	15	NBR 75 Sh/A	3
SF00041	16	NBR 60 Sh/A	2,5

TEDESCHI GOMMA SINTETICA SRL
Via Dante Alighieri 42-44 • I-42023 Cadelbosco di Sopra (RE) ITALY • Tel. (+39) 0522-917528 r.a. • Fax (+39)0522-917643
e-mail:commerciale@tedeschigomma.com • web: www.tedeschigomma.com • P.I. IT02026560355 • C.Soc.i.v. 10.000,00

SF00055	18	NBR 60 Sh/A	3,6
SF00056	18	NBR FOOD APPROVED 60 Sh/A	3,5
SF00053	18	NBR 85 Sh/A	4
SF00060	20	NBR 60 Sh/A	4,8
SF00623	20	NBR FOOD APPROVED 60 Sh/A	5
SF00058	20	NBR 75 Sh/A	5,1
SF00062	22	NBR 60 Sh/A	8
SF00064	25	NBR 60 Sh/A	10
SF00628	25	NBR FOOD APPROVED 60 Sh/A	9
SF00627	25	NBR 75 Sh/A	9,5
SF00067	30	NBR 60 Sh/A	16
SF00629	30	VMQ GREEN 60 Sh/A, NOT RECTIFIED	17
SF00625	30	NBR FOOD APPROVED 60 Sh/A	16
SF00500	30	EU YELLOW 75 Sh/A, NOT RECTIFIED	17
SF00663	35	NBR 55 Sh/A	28
SF00661	35	NBR 60 Sh/A	28
SF00662	35	NBR FOOD APPROVED 60 Sh/A	27
SF00630	35	NBR 75 Sh/A	28
SF00072	35	NBR 85 Sh/A	32
SF00710	38	NBR 85 Sh/A	39
SF00668	40	NBR 60 Sh/A	41
SF00667	40	NBR FOOD APPROVED 60 Sh/A	40
SF00669	40	NBR 75 Sh/A	41
SF00076	45	NBR 60 Sh/A	58
SF00740	45	NBR FOOD APPROVED 60 Sh/A	57
SF00078	50	NBR 60 Sh/A	80
SF00673	50	EPDM 70 Sh/A	84
SF00672	50	NBR 75 Sh/A	80
SF00671	50	NBR 85 Sh/A	95
SF00080	55	NBR 60 Sh/A	105
SF00082	55	NBR 75 Sh/A	110
SF00079	55	NBR 85 Sh/A	120
SF00693	60	VMQ GREEN 60 Sh/A, NOT RECTIFIED	130
SF00083	60	NBR 60 Sh/A	135
SF00681	60	EPDM 70 Sh/A	144
SF00690	60	NBR 85 Sh/A	150
SF00084	65	NBR 60 Sh/A	170
SF00086	70	NBR 60 Sh/A	220
SF00134	70	EPDM 75 Sh/A	220

SF00720	70	NBR 75 Sh/A	220
SF00088	70	NBR 85 Sh/A	245
SF00090	75	NBR 60 Sh/A	275
SF00091	75	NBR 85 Sh/A	305
SF00096	80	NBR 60 Sh/A	325
SF00094	80	NBR 75 Sh/A	325
SF00097	80	NBR 85 Sh/A	360
SF00100	85	NBR 60 Sh/A	390
SF00102	90	NBR 60 Sh/A	460
SF00103	90	NBR 75 Sh/A	470
SF00101	90	NBR 85 Sh/A	515
SF00110	100	NBR 60 Sh/A	640
SF00112	100	NBR 85 Sh/A	695
SF00171	110	NBR 75 Sh/A	855
SF00180	120	NBR 60 Sh/A	1125
SF00181	120	NBR 75 Sh/A	1127
SF00182	120	NBR 85 Sh/A	1237
SF00184	130	NBR 85 Sh/A	1550
SF00200	190	NBR 60 Sh/A	4350

Floating rubber ball with nylon core – rectified

Tedeschi Gomma's rubber balls with nylon core are used as check valves for systems priming sewage pumps, as floating balls within vents for water supply pipes, as closing part for air intake for filling cisterns, as floating ball for sanitary traps at milking plants and as floating balls for overfull valves.

Product code	DIAMETER	RUBBER TYPE	WEIGHT GR.
SF00231	60	NBR 45 Sh/A	100
SF00230	60	NBR 60 Sh/A	103
SF00240	70	NBR 60 Sh/A	145
SF00250	80	NBR 60 Sh/A	175
SF00253	80	NBR 60 Sh/A	225
SF00270	100	NBR 60 Sh/A	335

Rubber balls with steel core – rectified

The rubber balls with steel core are used as valves for wine piston pumps.

Product code	DIAMETER	MEDIUM WEIGHT GR.
SF00635	35	84
SF00741	45	220
SF00694	60	380
SF00272	100	2500

TEDESCHI GOMMA SINTETICA SRL
Via Dante Alighieri 42-44 • I-42023 Cadelbosco di Sopra (RE) ITALY • Tel. (+39) 0522-917528 r.a. • Fax (+39)0522-917643
e-mail:commerciale@tedeschigomma.com • web: www.tedeschigomma.com • P.I. IT02026560355 • C.Soc.i.v. 10.000,00