

SIGNPOSTS


SEGNALETICA SU PALI


Designed to withstand all types of environmental stress without losing their high quality finish, these are without doubt the most classic type of outdoor sign. Consisting of modular panels or plates supported by posts these are ideal for distributing general route directions and identifying buildings and areas. A lighting system installed at the top, in the single or double face version, can provide illumination of the panels and panels underneath.

Ideata per resistere ad ogni tipo di stress ambientale pur mantenendo un elevato grado di finitura, risulta sicuramente la più classica tipologia di segnaletica per esterno. Costituita da pannelli o piastre modulari sostenuti da montanti, è ideale per elargire indicazioni di percorso e di identificazione degli edifici e delle aree. L'installazione di un impianto di illuminazione superiore, in versione mono o bifacciale, permette l'illuminazione dei pannelli e delle piastre sottostanti.

Z HORIZONTAL TOTEM

TOTEM ORIZZONTALI





3200	1500			TM4.Z300150-320
	1250		TM4.Z200125-320	TM4.Z300125-320
	1000	TM4.Z150100-320	TM4.Z200100-320	TM4.Z300100-320
	750	TM4.Z15075-320	TM4.Z20075-320	TM4.Z30075-320
	500	TM4.Z15050-320		
2500	1500			TM4.Z300150-250
	1250		TM4.Z200125-250	TM4.Z300125-250
	1000	TM4.Z150100-250	TM4.Z200100-250	TM4.Z300100-250
	750	TM4.Z15075-250	TM4.Z20075-250	TM4.Z30075-250
	500	TM4.Z15050-250		
2100	1500			TM4.Z300150-210
	1250		TM4.Z200125-210	TM4.Z300125-210
	1000	TM4.Z150100-210	TM4.Z200100-210	TM4.Z300100-210
	750	TM4.Z15075-210	TM4.Z20075-210	TM4.Z30075-210
	500	TM4.Z15050-210		
1500	1250			TM4.Z300125-150
	1000	TM4.Z150100-150	TM4.Z200100-150	TM4.Z300100-150
	750	TM4.Z15075-150	TM4.Z20075-150	TM4.Z30075-150
	500	TM4.Z15050-150		
	1250	1000	TM4.Z150100-125	TM4.Z200100-125
750		TM4.Z15075-125	TM4.Z20075-125	TM4.Z30075-125
500		TM4.Z15050-125		
1050	750	TM4.Z15075-105	TM4.Z20075-105	TM4.Z30075-105
	500	TM4.Z15050-105	TM4.Z20050-105	
H	h			


LIGHTING SYSTEM:
 an internal lighting system with low tension LED is available.

ILLUMINAZIONE:
 possibilità di illuminazione interna con impianto a LED a bassa tensione.

	RAL 9016 white bianco	RAL 9006 silver silver	007 ash grey grigio cenere	085 black nero	silver anodized anodizzato silver
1 Aluminium side posts <i>Montanti laterali in alluminio</i>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
2 Top cap in aluminium composite (Dibond) <i>Cielino in Dibond</i>		<input checked="" type="checkbox"/>			
3 Panelling in aluminium composite sheets (Dibond) <i>Pannellature in Dibond</i>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
Panelling in opaline plexiglas (for totem with lighting system) <i>Pannellature in plexiglass opalino (per totem luminosi)</i>					
4 Flat base in zincated steel <i>Base piana in acciaio zincato</i>					

Pairs of POSTS
Coppia di MONTANTI completa

H = 400, 700, 1050,
1200, 1500, 1800,
2100, 2500



H = 1200, 1500,
1800, 2100

PE4.40/2




40



PE4.70/2




70



PE4.70IN/2




70



PE4.80/2



80



Four ways post to
orientate the plates
in four directions


Clutch to be insert
into the concrete
Innesto da inserire nel plinto

Con questo montante
è possibile avere piastre
orientate ortogonalmente
in 4 direzioni


Modular PLATES
PIASTRE modulari

L = 700, 1050, 1200, 1500

h
120 PE4.120




h
PE4.DB100 1000
PE4.DB75 750
PE4.DB50 500
PE4.DB40 400
PE4.DB30 300
PE4.DB20 200
PE4.DB15 150

LIGHTING SYSTEM profile
Profilo ILLUMINAZIONE

LIGHTING SYSTEM One-sided or double-sided.
A lighting system with low tension LED is available.
ILLUMINAZIONE Disponibile monofacciale e bifacciale.
Profilo di illuminazione in alluminio con impianto a LED.

PE4.140M
One-sided version
Versione monofacciale

PE4.140B
Double-sided version
Versione bifacciale



L = 700, 1050, 1200, 1500 mm

RAL 9016
white
bianco



RAL 9006
silver
silver



007
ash grey
grigio cenere



085
black
nero




silver anodized
anodizzato silver




* Available only for "80"
Disponibile solo per "80"


1	Aluminium side posts Montanti laterali in alluminio		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2	Caps in nylon Tappi in nylon				<input checked="" type="checkbox"/>	
3	Modular plates h 120 mm in aluminium Piastrre modulari h 120 mm in alluminio		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	Modular plates h 150, 200, 300, 400, 500, 750, 1000 mm in boxed Aluminium Composites sheets with aluminium core Piastrre modulari h 150, 200, 300, 400, 500, 750, 1000 mm in Dibond scatorlato con anima in alluminio	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
4	Flat base or clutch for concrete in zincated steel Base piana o innesto per plinto in acciaio zincato					
5	Aluminium lighting profile Profilo di illuminazione in alluminio		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	




Pairs of POSTS
Coppia di MONTANTI completa





Modular PLATES
PIASTRE modulari




LIGHTING SYSTEM profile
Profilo ILLUMINAZIONE




	RAL 9016 white bianco	RAL 9006 silver silver	007 ash grey grigio cenere	085 black nero	silver anodized anodizzato silver
1 Aluminium side posts Montanti laterali in alluminio					<input checked="" type="checkbox"/>
2 Aluminium caps Tappi in alluminio					<input checked="" type="checkbox"/>
3 Modular plates h 120 mm in aluminium Piastre modulari h 120 mm in alluminio		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Modular plates h 150, 200, 300, 400, 500, 750, 1000 mm in boxed Aluminium Composites sheets with aluminium core Piastre modulari h 150, 200, 300, 400, 500, 750, 1000 mm in Dibond scatorato con anima in alluminio	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
4 Flat base or clutch for concrete in zincated steel Base piana o innesto per plinto in acciaio zincato					
5 Aluminium lighting profile Profilo di illuminazione in alluminio					<input checked="" type="checkbox"/>



Acrylic panel <i>Pannello in plexiglass</i>	AQ4.D120150	AQ4.D120150/IN
Aluminium panel <i>Pannello in alluminio</i>	AQ4.DB-D120150	AQ4.DB-D120150/IN



Acrylic panel <i>Pannello in plexiglass</i>	AQ4.D120150-90Q	AQ4.D120150-90Q/IN
--	-----------------	--------------------




Acrylic panel <i>Pannello in plexiglass</i>	AQ4.D120150-150T	AQ4.D120150-150T/IN
Aluminium panel <i>Pannello in alluminio</i>	AQ4.DB-D120150-150T	AQ4.DB-D120150-150T/IN

	RAL 9016 white bianco	RAL 9006 silver silver	007 ash grey grigio cenere	085 black nero	silver anodized anodizzato silver
1 Aluminium side posts <i>Montanti laterali in alluminio</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2 Aluminium caps <i>Tappi in alluminio</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3 Panel th. 15 mm in transparent acrylic <i>Pannello sp. 15 mm in plexiglass trasparente</i>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Panel th. 20 mm in aluminium <i>Pannello sp. 20 mm in alluminio</i>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4 Flat base or clutch for concrete in zincated steel <i>Base piana o innesto per plinto in acciaio zincato</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

70 - 80 DRIVE SINGLE POST


MONOPALO DRIVE



Single POST

MONTANTE singolo completo

H = 1200, 1500, 1800, 2100



Clutch to be insert into the concrete
Innesto da inserire nel plinto


Four ways post to orientate the plates in four directions
Con questo montante è possibile avere piastre orientate ortogonalmente in 4 direzioni

Modular PLATES

PIASTRE modulari

L = 500, 700


PE4.120/1



		RAL 9016 white bianco	RAL 9006 silver silver	007 ash grey grigio cenere	085 black nero	silver anodized anodizzato silver
* Available only for "80" Disponibile solo per "80"						
1	Aluminium side post Montante in alluminio		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	* <input checked="" type="checkbox"/>
2	Cap in nylon Tappo in nylon				<input checked="" type="checkbox"/>	
3	Modular plates h 120 mm in aluminium Piastre modulari h 120 mm in alluminio		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
4	Flat base or clutch for concrete in zincated Base piana o innesto per plinto in acciaio zincato					

94 DRIVE SINGLE POST


MONOPALO DRIVE



Single POST

MONTANTE singolo completo


H = 1200, 1500, 1800, 2100



Modular PLATES

PIASTRE modulari

L = 500, 700



	RAL 9016 white bianco	RAL 9006 silver silver	007 ash grey grigio cenere	085 black nero	silver anodized anodizzato silver
1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>