



EASY 9

easy vending, easy picking

FEATURES

-  dispensing at 90cm
-  22" Monitor
-  9 lanes modular shelves
-  Payment system setup
-  Break-proof Glass
-  Internal LED lighting
-  Automatic door
-  Internal elevator



EASY 9
L - 1324
H - 1977
P - 981

SPACIOUS AND CONVENIENT PICKUP AREA

The pickup compartment of the Easy line is positioned at a height of 90 cm from the ground. Additionally, the pickup window opens and closes automatically.

REAL-TIME DATA SERVICE

Magex provides a vending machine real-time management service, thanks to our web-based interface accessible from virtually any kind of device.

You can check real-time selling statistics, stock status, actual stock for every currency denomination.




You will be able to monitor the internal temperature and visualize it in a chart.

USER EXPERIENCE

Quad-Core CPU 22" touchscreen panel, 1920x1080 full HD for an e-commerce-like user experience.

The screen provides a menu where the consumer can browse product descriptions, promotional images and videos.





MULTI-PRODUCT DISPENSING

Our internal elevator has been designed to dispense products with extreme delicacy. A conveyor belt inside the elevator gently moves the products.

If your cart contains more than one product, they will be delivered at the same time.


SLIDING PANEL

A vandal-proof sliding panel hermetically closes the shelves behind it while the dispensing compartment is open. An additional panel can be positioned to hide a specific shelf dedicated to products to be sold after age control.

SATELLITE MODULE

The Satellite Module is controlled by the main vending machine, called Master. The Satellite Module is a fully-fledged Magex machine but without the control console with a touchscreen. An entire room can be transformed into an automated store by combining Master vending machines and their Satellite Modules.

satellite module (max. 4)



PATENTED DISPENSING SYSTEM

Magex vending machines boast unprecedented flexibility in managing very different items.

Our Conveyor patented dispensing system fits any kind of product, also combining adjacent lanes to move larger products.


End-user can easily customize lanes setup to manage effectively any size and shape item to sell. Moreover, interlocking partitions keep items separate into the same lane.

Our advanced multi-function self-diagnostic tool performs a continuous system health check, starting from lanes operation status before each delivery up to a full system reboot if needed.


DATA SHEET

Width	1324
Height	1977
Depth	981
Withdrawal area	732x210
Max number of shelves	8
Shelf lanes	9
Minimum temperature	2 ÷ 4 °C
Lift dimensions	756x270x245
Screen size	22"
Consumption	660W
Weight	450 kg
Voltage supply	220V monofase

MASTER




SATELLITE



MAGEX DRAWER




- Magex patented transport system since 2006
- It adapts to every type of product, also allowing you to join adjacent aisles to handle larger products both in width and depth
- easily configurable at any time without the need for mechanical tools
- Variable weight patent option to sell products in the same aisle with different weights




PUSH DRAWER

- Innovative solution for dispensing bottles and cans
- Quick loading thanks to the hooking system
- Adaptable in width for non-standard products



SPIRAL DRAWER

- The standard reference in the market
- Interchangeable spirals with various pitches, offering flexibility in product arrangement
- Ideal for distributing a wide range of products (ideal for snacks)



ROOF AND VANDAL PROTECTION

- The metal roof provides rain and weather protection for outdoor products
- Additional 10 mm lexan door: extra security with vandal-resistant opening door





video

TECHNICAL FEATURES

- Reinforced pickup compartment
- Gas-filled thermic anti-vandalism glass
- Console with independent opening
- 22" HD monitor
- Quad-core industrial computer
- Operating system installed on 32GB SSD
- LED lighting
- Configurable shelves in height, depth, and number of selections
- Armoured console locks
- Self-diagnostic fault finding system
- Standard multi-control electronics
- Data management and statistics display system
- Temperature control with recording

OPTIONAL

- Banknote reader
- Banknote reader with change giver
- Coin reader with tube change giver
- Coin reader with multihopper change giver
- Outdoor cover
- GSM data management
- Fridge unit
- Variable weight management system
- Item insertion via barcode
- Credit card/debit card reader
- Graphic customization
- RFID loyalty card system
- Age verification reader
- Lexan protective door

