

TECNOVAP

L'ARTE DEL VAPORE

english

STEAM CLEANERS

Steam Box Mini





Steam



Vacuum

Steam Box Mini

kW 3,75

bar

6

8

10

Technical features



MyTecnovap
connection



Operating pressure
6bar



Operating pressure
8 bar



Operating pressure
10 bar



Water mains
connection



Water tank



Detergent tank



Automatic
water refilling



Detergent
injection



Overheated
water injection



Vacuum
cleaner



Control panel



Boiler maintenance
signal

Steam cleaner with stainless-steel body and boiler, designed for professional use and able to deliver dry saturated steam at 165°C, 174°C or 183°C:

- Available version with a wet/dry vacuum cleaner.
- A sturdy structure, a fully electric operation and the compact size allows its usage in any environment, both outdoors (watertight protection IPX5) and indoors (e.g. in production lines).
- All steam cleaner functions can be managed on the electronic control panel.
- Equipped with hose holder, double accessories basket, cable holder, extension tube holders and front 360° swivel wheels.

Steam Box Vac Mini



Steam Box Mini

Applications



Ho.Re.Ca.



Healthcare



Special applications



Transport industry



Wineries



Car wash

Technical data

Steam cleaner


| | | | | |
|--------------------|--|---------------------------------|-----|-----|
| Boiler | Stainless-steel AISI 304 with interchangeable heating element | | | |
| Body | Stainless-steel AISI 304 BA | | | |
| Power supply | V - Hz | 1~ 230 - 50/60 3~ 400 - 50/60 | | |
| Boiler output | kW/h | 3,6 | | |
| Maximum output | kW/h | 3,75 | | |
| Boiler volume | l | 5 | | |
| Operating pressure | bar | 6 | 8 | 10 |
| Water tank | l | 7,5 | | |
| Detergent tank | l | 7,5 | | |
| Steam production | g/min | 97 | | |
| | Kg/h | 5,9 | | |
| Steam temperature | ° C | 165 | 174 | 183 |

Vacuum cleaner (only for Steam Box Vac /Mini)

| | | | |
|---------------|------|---------|-----------------|
| Power output | kW/h | 1,2 | |
| Drum material | - | Plastic | Stainless-steel |
| Drum capacity | l | 5,5 | 7,5 |
| Air flow | m3/h | 200 | |
| Depression | mm | 2200 | |

Various

| | | | |
|--|----|-----------------------------|---|
| Weight | Kg | 35 | |
| Cable | m | 8 | |
| Dimensions accessory holders included | cm | H.105,6 x L.41,3 x W. 66 | |
| Packaging | cm | 50x40x80 | |
| Unit/pallet | pz | 4 | 8 |



Standard features



MyTecnovap app



Control panel



ON/OFF switch

Steam outlet
6 bar / 8 bar - 7PSteam outlet
10 bar - 12PWater mains
connectionWater tank
with silicone capDetergent tank
with silicone capVacuum drum
5 liters or 7,5 litersVacuum cleaner
power supply

Vacuum inlet

Anti-scratch
rubber wheels 360°Water tank
level indicatorDetergent tank
level indicator

Accessory basket



Cable holder

Electric plug
IEC309/16A
3~ 400 V - 50/60 HzElectric plug
SCHUKO
1~ 230 V - 50/60 Hz

Accessories

The Steam Box Mini 10bar models can be used with these accessories:



Geyser 1 · 10 bar



Steam hose
5m - 8m



100mm lance



400mm lance



800mm lance



1200mm lance



Window cleaner with diffuser
250mm - 350mm - 450mm



Steam brush with bristles
250mm - 350mm - 450mm



Geyser / July
adapter



Flat nozzle
L. 10mm



Stainless-steel floor scrubber brush



Flat nozzle w/scrapper



Stainless-steel brush T50



Threaded white nylon brush
Ø60mm M8

Radames 10 bar



Discover all
accessories

July 10 bar



Discover all
accessories

Accessories

The Steam Box *Mini* 6/8bar models can be used with these accessories:

Star Pro



Radames 6 bar



Discover all
accessories

July 6 bar



Discover all
accessories

Applications



Would you like to discover
the cleaning possibilities of
Steam Box Mini?

Watch it in action!



Need more information?
Don't hesitate to contact us!



+39 045 67 67 252



sales@tecnovap.com - info@tecnovap.com



www.tecnovap.it

Follow us



L'ARTE DEL VAPORE

Tecnovap S.r.l.

Via dei Sassi 1/a, 37026 Pescantina, Verona - Italy