

CONTRACT LINE



Scheda Tecnica / Data Sheet

Swing

L'ombrellone che si muove in perfetta armonia

Design e semplicità di funzionamento si combinano in un ombrellone a braccio laterale retrattile davvero unico. Veloce è facile nell'apertura e nell'inclinazione grazie alla perfetta bilanciatura dei pesi. Swing si apre e si mette in tensione per mezzo di una carruccola nautica con sistema di bloccaggio rapido. Un pratico sistema basculante permette inoltre di regolare l'inclinazione dell'ombrellone a seconda del sole, o per evitare gli ingombri sottostanti.

The parasol that moves in perfect harmony

Design and operation simplicity are combined in a truly unique parasol with retractable side arm. Quick and easy to open and incline thanks to the perfect weight balancing, Swing opens up and is tensioned by means of a nautical pulley featuring quick locking system. A practical tilting system also allows adjusting the inclination of the parasol according to the sun, or to avoid objects below.



SWING



SWING





SWING

DI SERIE

Palo laterale Lateral pole	Retractable Retractable	Telaio in lega di alluminio 6005 ad alta tenacità / High-tensile 6005 aluminum alloy
Cuciture impermeabili protette -WATER SAFE Protected waterproof seams - WATER SAFE	Bulloneria Acciaio Inox Stainless Steel Bolts	Sistema sgancio rapido delle stecche (EASY CLICK) Quick ribs uncoupling system (EASY CLICK)
Fodero di custodia Premium in PVC Premium PVC storage case	Snodi in Nylon Nylon joints	Camino morbido Soft bellow
Con o senza balza perimetrale / With or without perimetrical flounce	Collano in nylon, inox Collar in nylon, stainless steel	Apertura con carrello nautica Inox - carbonio e sistema di bloccaggio (EASY BLOCK) Opening with stainless steel/carbon pulley and locking system (EASY BLOCK)

BASI

Da appoggio Support base	Per fissaggio To be fixed	Da interrare To be buried
-----------------------------	------------------------------	------------------------------

ACCESSORI

LED LED System	Riccalibri Heaters	Pareti laterali Side walls
Grondaie Gutters	Applicazione logo Logo application	



250 x 250	300 x 300	350 x 350	400 x 400
300 x 200	300 x 250	350 x 250	350 x 300
400 x 250	400 x 300	450 x 250	450 x 300
500 x 250*	600 x 300*	700 x 350*	500 x 500**
600 x 600**	700 x 700**		

*doppio **quadruplo