

MACCHINE
SELVATICI
 AGRICOLE



AEROKING AERATORS




AERATORS SELVATICI new system

The United States of America
 USA patent 5810092

CE patent 97830069.7

www.selvatici.com



WHY TO SPEND MORE TO DO THE SAME JOB?




TOOLS FOR AERATORS

Solid Tines

x 300.50-300.80 Cod.	Ø xl mm.	Ø xl inc.	n. x	
7080818	8x180	8/16x7	4*-8***	
7081230	12x300	1/2x12	4	
7081830	18x300	3/4x12	2	
7082531	25x300	1x12	2	

x 400.90 Cod.	Ø xl mm.	Ø xl inc.	n. x	
7080818	8x180	8/16x7	4*-8***	
7081230	12x300	1/2x12	4	
7081830	18x300	3/4x12	2**	
7081840	18x400	3/4x16	2**	
7082530	25x300	1x12	2	
7082540	24x400	1x16	2	



SERIE 300.50

SMALL AERATORS FOR LIGHT / COMPACT TRACTORS



0,3 -2,3 km/h
0,2/1,5 miles/h


HP 25/50
5/30 cm
3p. cat I-II



Hollow tines for coring

x 300.50-300.80 Cod.	Ø xl mm.	Ø xl inc.	n. x	
7071617	16x175	5/8x7	4	
7071925	19x255	3/4x10	2	
7072525	25x255	1x10	2	

x 400.90 Cod.	Ø xl mm.	Ø xl inc.	n. x	
7071617	16x175	5/8x7	4	
7071925	19x255	3/4x10	2**	
7072525	25x255	1x10	2**	




Mod.	cm	HP min/max	KW min/max	N.	kg
C 1204 J	120	20/50	14/36	4	510
C 1656 J	165	30/50	22/36	6	650

Max work capacity 3.800 mq/h



Adapters to be used with any tool, with */**


Cod.	Ø mm.	Ø inc.	n. x	
7089000	12-8	1/2-5/16	4	
7086000	25-18	1-3/4	2	



Multipliers to be used with every 8 tools, with */**

x 300.50-300.80 Cod.	Ø mm.	Ø inc.	n. x	
7141000	8	5/16	1	

x 400.90 Cod.	Ø mm.	Ø inc.	
7142000	8	5/16	1





Standard for all series:

- * 3 speeds lever gearbox
- * protected pto shaft with clutch
- * prelubricated sealed bearings without maintenance


SERIE 300.80

MEDIUM SIZE AERATORS IDEAL FOR CONTRACTORS TO INCREASE THE WORK PERFORMANCES

 0,3 - 2,3 km/h
0,2/1,5 miles/h

 HP 40/80
5/30 cm
3p. cat I-II




Mod.	↔ cm	HP min/max	KW min/max	N. 	kg
C 1656 L	165	40/80	29/58	6	730
C 2108 L	210	50/80	36/58	8	800
C 2510 L	250	55/80	40/58	10	1050


Max work capacity 5.750 mq/h




SERIE 400.95


PROFESSIONAL AERATORS FOR BIG DEPTHS

 0,4 - 2,9 km/h
0,25/1,8 miles/h

 HP 45/95
5/40 cm
3p. cat I-II



Max work capacity 7.250 mq/h

Mod.	↔ cm	HP min/max	KW min/max	N. 	kg
C 1706 N	170	45/95	33/70	6	930
C 2108 N	210	55/95	40/70	8	1160
C 2510 N	250	70/95	51/70	10	1380




- REAR SWINGING ROLLER
- CROSS SWINGING BRUSHES (N.2) FOR SAND AND REAR ROLLER



- HYDRAULIC TRAILER



- WILD / NARROW TURF RETAINER



OPTIONALS

- SELF-LEVELING CONVEYORS (N.2) FOR CORING SAMPLES



- HYDRAULICALLY ROTATING BRUSH FOR SAND WITH REAR ROLLER



- CENTRALIZED CONTROL OF TOOLS INCLINATION (no GB/D/F/H)



follow us on



CON IL CONTRIBUTO DELLA REGIONE EMILIA ROMAGNA

SELVATICI srl

Via Laura Rodriguez 4, 40068 - San Lazzaro (BOLOGNA)
Tel. +39-051-463328/+39-051-466496 Fax +39-051-454668

www.selvatici.com

E-mail: selvatici@selvatici.com

www.youtube.com/selvaticiagricoltura

EuroAgri
member

