

PRODUCT TECHNICAL DATA SHE

CHEMOLLI-FIREBOLT A5

PRODUCT DESCRIPTION

The innovative technology of the embedding tubular spring by Chemolli S.a.s. allow the adjustment of the distance with respect to the tolerance between frame and swing door. In this way it become easier the assembling and it is possible to have a perfect adjustment of the pre-stretch of the spring of this particular chain door check.

MAIN DIMENSIONS



DATI TECNICI	
Tubular	Ø22 mm
Angle door opening	Up to 180°
Clamp force	15-25 N
Tubular material	Stainless steel




Fig. 1
 Dimensioned scheme



FINAL NOTE:

The Company reserves for himself right to modify in every moment and without notice the device and the present document.

LIMITED WARRANTY TERMS

The CHEMOLLI-FIREBOLT A5 is subject at the warranty law in force. Warranty exclusions: it is forbidden to change or modify the component parts of the device. In any case the warranty is limited to the replacement of the device and do not cover possible damage that could be verified after the installation of the device. Possible contention could be effected after having required a goods return coupon at the fax number +390464244539 specifying the supply data and the customer contacts: then the procedure of the contention treatment will be communicate. The goods has to be delivered to the manufacturer by the costumer at his own expenses. If it will be recognized a production defect, the device will be replaced by the manufacturer and the delivery of the product in replacement will be at the manufacture own expenses.

