




**STAINLESS STEEL
PANELS AND ROLLS
AISI 304L**




reti elettrosaldate dal 1961



STAINLESS STEEL AISI 304L EN 1.4307

SQUARE MESH PANELS



Art.	Mesh (from middle to middle)		Wire Ø	Width	Length	kg/mq
	A	B				
1.R062	20	20	2,20	1000	2000	2,94
1839005	20	20	2,50	1000	2000	3,80
1.R061	20	20	2,85	1000	2000	4,94
0763002	25	25	2,50	1225	2000	3,03
1.R060	25	25	2,85	1000	2000	3,93
1.R063	25	25	2,85	1250	2500	3,95
1202065	25	25	2,85	1500	3000	3,99
1.I038	30	30	2,85	1000	2010	3,25
1.I139	30	30	2,85	1215	2400	3,30
1202033	30	30	2,85	1250	2500	3,24
1.R064	30	30	2,85	1500	3000	3,34
1.R065	30	30	2,85	2000	2000	3,34
1.I143	40	40	2,85	1000	2000	2,43
1.I024	40	40	2,85	1215	2400	2,47
1202001	40	40	3,80	1250	2500	2,44
1202061	40	40	2,85	1500	3000	2,47
1.I056	40	40	3,80	1000	2000	4,32
1.I140	40	40	3,80	1215	2400	4,39
1202057	40	40	3,80	1250	2500	4,35
1202005	50	50	2,20	1000	2000	1,20
1202064	50	50	2,20	1250	2500	1,16
1.I029	50	50	2,85	1000	2000	2,00
1202077	50	50	2,85	1500	3000	2,00
1.I145	50	50	2,85	2000	2000	2,00
1.I142	50	50	3,80	1000	2000	3,56
1.I055	50	50	3,80	1200	2400	3,56
1202008	50	50	3,80	1250	2500	3,45
1202056	50	50	3,80	1500	3000	3,56
1.I026	50	50	4,80	1000	2000	5,92
1202058	50	50	4,80	1250	2500	5,51
1096020	100	100	2,85	1000	2000	1,00
1443006	100	100	4,80	1000	2000	2,84

Unit: mm. Tolerance: less than 0.003 per unit of measurement
(International System n.80/81 CEE)

For structural use, panels must be submitted to the tests fixed in regulation
UE 305/2011 by the customer.

In order to improving the quality and production processes, SIA-MPL reserves its right
to introduce at any time aesthetic and technical changes to the products
and information provided.



reti elettrosaldate dal 1961

SIA-MPL Srl

Via Cisa Ligure 28/32 (SP62r)

42041 Brescello · Reggio Emilia · Italy


Ph. +39 0522 684543 · Fax +39 0522 684544

www.siampl.com · info@siampl.com



STAINLESS STEEL AISI 304L EN 1.4307

DVA® - RT® RECTANGULAR MESH PANELS



Art.	Mesh (from middle to middle)		Wire Ø	Width	Length	kg/mq
	A	B				
1068001	60	11,1	2,85	1215	2450	6,76
1.I144	100	11,1	2,85	1000	2030	4,89

Unit: mm. Tolerance: less than 0.003 per unit of measurement
(International System n.80/81 CEE)

For structural use, panels must be submitted to the tests fixed in regulation
UE 305/2011 by the customer.

In order to improving the quality and production processes, SIA-MPL reserves its right
to introduce at any time aesthetic and technical changes to the products
and information provided.



reti elettrosaldate dal 1961


SIA-MPL Srl

Via Cisa Ligure 28/32 (SP62r)

42041 Brescello · Reggio Emilia · Italy


Ph. +39 0522 684543 · Fax +39 0522 684544

www.siampl.com · info@siampl.com




STAINLESS STEEL AISI 304L EN 1.4307

TEC® MESH PANELS



Art.	Mesh (from middle to middle)			Wire Ø	Width	Length	kg/mq
	A	B	C				
1.I141	15	15	105	2,85	1040	2010	4,22
1.I054	15	15	105	2,85	1240	2430	4,24
1.I057	15	15	105	2,85	1500	2000	4,17

TEC® MESH ROLLS



Art.	Mesh (from middle to middle)			Wire Ø	Width	H Wire	Length	kg/mq
	A	B	C					
1.I092	15	15	105	2,85	1040	980	26250	4,21
1.I090	15	15	105	2,85	1240	1220	26400	4,23

Panels length customization option starting from stock rolls.

Unit: mm. Tolerance: less than 0.003 per unit of measurement
(International System n.80/81 CEE)

For structural use, panels must be submitted to the tests fixed in regulation
UE 305/2011 by the customer.

In order to improving the quality and production processes, SIA-MPL reserves its right
to introduce at any time aesthetic and technical changes to the products
and information provided.



reti elettrosaldate dal 1961


SIA-MPL Srl

Via Cisa Ligure 28/32 (SP62r)

42041 Brescello · Reggio Emilia · Italy

Ph. +39 0522 684543 · Fax +39 0522 684544

www.siampl.com · info@siampl.com



STAINLESS STEEL PANELS AISI 316L




reti elettrosaldate dal 1961



STAINLESS STEEL AISI 316L EN 1.4404

SQUARE MESH PANELS



Art.	Mesh (from middle to middle)		Wire Ø	Width	Length	kg/mq
	A	B				
1839010	20	20	2,50	1000	2000	3,80
1443002	20	20	2,85	1000	2000	4,94
1202121	25	25	2,85	1000	2000	3,93
1096002	25	25	2,85	1250	2500	3,95
1443001	30	30	2,85	1000	2000	3,26
1202123	30	30	2,85	1250	2500	3,24
1443012	30	30	2,85	1500	3000	3,34
1448031	40	40	2,85	1000	2000	2,43
1202120	40	40	2,85	1250	2500	2,44
1443008	40	40	4,00	1000	2000	4,79
1096005	40	40	4,00	1250	2500	4,81
1202122	50	50	2,20	1000	2000	1,20
1202078	50	50	2,85	1500	3000	2,00
1.1146	50	50	2,85	2000	2000	2,00
1289002	50	50	2,85	2000	2500	2,00
0763005	50	50	4,00	1000	2000	3,83
1096003	50	50	4,00	1250	2500	3,83
1202063	50	50	4,80	1000	2000	5,68

Unit: mm. Tolerance: less than 0.003 per unit of measurement
(International System n.80/81 CEE)

For structural use, panels must be submitted to the tests fixed in regulation
UE 305/2011 by the customer.

In order to improving the quality and production processes, SIA-MPL reserves its right
to introduce at any time aesthetic and technical changes to the products
and information provided.



reti elettrosaldate dal 1961


SIA-MPL Srl

Via Cisa Ligure 28/32 (SP62r)

42041 Brescello · Reggio Emilia · Italy


Ph. +39 0522 684543 · Fax +39 0522 684544

www.siampl.com · info@siampl.com



STAINLESS STEEL AISI 316L EN 1.4404

TEC® MESH PANELS



Art.	Mesh (from middle to middle)			Wire Ø	Width	Length	kg/mq
	A	B	C				
1.I158	15	15	105	2,85	1000	2040	4,16

Unit: mm. Tolerance: less than 0.003 per unit of measurement
(International System n.80/81 CEE)

For structural use, panels must be submitted to the tests fixed in regulation
UE 305/2011 by the customer.

In order to improving the quality and production processes, SIA-MPL reserves its right
to introduce at any time aesthetic and technical changes to the products
and information provided.



reti elettrosaldate dal 1961

SIA-MPL Srl

Via Cisa Ligure 28/32 (SP62r)

42041 Brescello · Reggio Emilia · Italy

Ph. +39 0522 684543 · Fax +39 0522 684544

www.siampl.com · info@siampl.com