



**PANELS
STAINLESS STEEL 304
REINFORCEMENT BAR**




reti elettrosaldate dal 1961



REBAR STAINLESS STEEL

PANELS SS 304 REINFORCEMENT BAR



Art.	Mesh (from middle to middle)		Wire Ø	Width	Length	Kg/mq
	A	B				
0302002	50	50	5,00	1000	2000	6,17
1797001	50	50	5,00	1500	3000	6,17
0425037	100	100	5,00	1000	2000	3,09
1603001	100	100	5,00	1500	3000	3,09
1173001	100	100	8,00	1000	2000	7,9
1052001	100	100	8,00	1500	3000	7,5

Unit: mm. Tolerance: less than 0.003 per unit of measurement
(International System n.80/81 CEE)

For structural use, panels must be submitted to the tests fixed in regulation
UE 305/2011 by the customer.

In order to improving the quality and production processes, SIA-MPL reserves its right
to introduce at any time aesthetic and technical changes to the products
and information provided.



reti elettrosaldate dal 1961

SIA-MPL Srl

Via Cisa Ligure 28/32 (SP62r)

42041 Brescello · Reggio Emilia · Italy

Ph. +39 0522 684543 · Fax +39 0522 684544

www.siampl.com · info@siampl.com

SIA-MPL Srl

Sede amministrativa ed operativa:

Via Cisa Ligure 28/32 (SP62r) · 42041 Brescello · Reggio Emilia · Italy


Tel +39 0522 684543 · **Fax** +39 0522 684544

VAT, P. IVA e C.F. IT01198210351 · **Numero Rea:** PR-218431 · **Cap. Sociale** € 93.000,00 i. v.

Sede legale: Borgo S. Chiara d'Assisi, 12 · 43121 · Parma Italy




PRODUCT DATA SHEET



REBAR STAINLESS STEEL

PANELS SS 304 REINFORCEMENT BAR

Art.	Mesh (from middle to middle)		Wire Ø	Width	Length	Kg/mq
	A	B				
1.1160	50	50				2,60
Wires No	20		3,1-3,2	1000		
Wires No		40	3,1-3,2		2000	



Unit: mm. Tolerance: less than 0.003 per unit of measurement
(International System n.80/81 CEE)

For structural use, panels must be submitted to the tests fixed in regulation
UE 305/2011 by the customer.

In order to improving the quality and production processes, SIA-MPL reserves its right
to introduce at any time aesthetic and technical changes to the products
and information provided.