



New LAB line for the dental technician

USER 2024

CONSUMABLES

Contact us

Via Pitagora, 11 - 20016 Pero MI
02 8853 501
www.88dent.com
info@88dent.com





CONSUMABLES

Through our vast range of CAD/CAM consumables, designed to satisfy every need in the production of dental products, we enable almost all dental professionals to find the ideal solution for their applications.

CONSUMABLES CAD CAM

DISCS AND CONSUMABLES



88dent offers a wide choice of materials based on the machines used and the type of work you want to achieve.

The basis of the digital flow (digital workflow) is to be able to obtain optimal and reproducible results through a process that passes through complementary and synergistic steps.

Machinery and software play a very important role but so do consumables that you will use will be an important element for the success of a process that is up to your professionalism.

For its range of milling machines, 88dent offers a vast range of millable products chosen with experience and attention to the needs of all users.

[Click and discover on the site](#)

DESCRIPTION	THICKNESS	ITEM NUMBER
PU (Polyurethane) **Diameter 98 mm without/collar 10 mm		
	10 mm	88z-pud-10
	12 mm	88z-pud-12
	14 mm	88z-pud-14
	16 mm	88z-pud-16
	18 mm	88z-pud-18
	20 mm	88z-pud-20
	22 mm	88z-pud-22
	25 mm	88z-pud-25



DESCRIPTION	ITEM NUMBER
Wax	
Blue Wax for Milling diameter 98mm thk 10mm w/collar 10mm	88Z-C9810BL
Blue Wax for Milling diameter 98mm thk 14mm w/collar 10mm	88Z-C9814BL
Blue Wax for Milling Diameter 98mm thk 18mm w/collar 10mm	88Z-C9818BL
Blue Wax for Milling Diameter 98mm thk 25 mm w/10 mm collar	88Z-C9825BL

[Click and discover on the site](#)



CONSUMABLES

DISCS AND CONSUMABLES

Discs for CAD-CAM



88VERA while stocks last

Composite in disks for CAD-CAM for the production of definitive works.

Available colors: **A2, A3 and A4**

Diameter 98 mm thk 16 mm w/collar 10 mm

Diameter 98 mm thk 20 mm w/collar 10 mm

[Click and discover on the site](#)



FIBER DISCS FOR CAD-CAM

Monochromatic BEIGE color. Available:

> Diameter 98 mm thk 12 mm w/collar 10 mm

Code 88Z-F9812

> Diameter 98 mm thk 14 mm w/collar 10 mm

Code 88Z-F9814

> Diameter 98 mm thk 16 mm w/collar 10 mm

Code 88Z-F9816

> Diameter 98 mm thk 18 mm w/collar 10 mm

Code 88Z-F9818

> Diameter 98 mm thk 20 mm w/collar 10 mm

Code 88Z-F9820

> Diameter 98 mm thk 22 mm w/collar 10 mm

Code 88Z-F9822

> Diameter 98 mm thk 25 mm w/collar 10 mm

Code 88Z-F9825

[Click and discover on the site](#)

CONSUMABLES

DISCS AND CONSUMABLES

Titanium is a high quality material, defined as "biocompatible" because it interacts with tissues and determines a biological response, i.e. it manages to integrate completely with the bone thanks to its ability to osteointegrate and therefore does not cause rejection reactions. Due to this characteristic it has been used successfully in the dental field for decades.



BIO TI TITANIUM DISCS - GRADE 5 DIAMETER 98.5 MM with collar

> Diameter 98.5 mm thk 8 mm without collar

Code 88M-TI5-8C

> Diameter 98.5 mm thk 10 mm without collar

Code 88M-TI5-10C

> Diameter 98.5 mm thk 12 mm without collar

Code 88M-TI5-12C

> Diameter 98.5 mm thk 14 mm without collar

Code 88M-TI5-14C

> Diameter 98.5 mm thk 15 mm without collar

Code 88M-TI5-15C

> Diameter 98.5 mm thk 16 mm without collar

Code 88M-TI5-16C

> Diameter 98.5 mm thk 18 mm without collar

Code 88M-TI5-18C

> Diameter 98.5 mm thk 20 mm without collar

Code 88M-TI5-20C

> Diameter 98.5 mm thk 25 mm without collar

Code 88M-TI5-25C

[Click and discover on the site](#)

CONSUMABLES CAD CAM

ZIRCONIA DISCS CONSUMABLES



88ZB HIGH TRANSLUCENCE (1530°C) WHITE FOR MONOLITHICS

DISC w/collar Translucency 44% | Flexural strength 1200 MPa |
SHT compatible
1 PIECE PER PACK. Available:

- > Diameter 98 mm thk 10 mm w/collar 10mm
Code 88Z-SHTW9810
- > Diameter 98 mm thk 12 mm w/collar 10 mm
Code 88Z-SHTW9812
- > Diameter 98 mm thk 14 mm w/collar 10 mm
Code 88Z-SHTW9814
- > Diameter 98 mm thk 16 mm w/collar 10 mm
Code 88Z-SHTW9816
- > Diameter 98 mm thk 18 mm w/collar 10 mm
Code 88Z-SHTW9818
- > Diameter 98 mm thk 20 mm w/collar 10 mm
Code 88Z-SHTW9820

[Click and discover on the site](#)

88ZB TRANSLUCENT WHITE (1500°C) WITH LAYING

DISC w/collar Translucency 39% | Flexural strength 1200 MPa |
HT compatible
1 PIECE PER PACK. Available:

- > Diameter 98 mm thk 10 mm w/collar 10mm
Code 88Z-HTW9810
- > Diameter 98 mm thk 12 mm w/collar 10 mm
Code 88Z-HTW9812
- > Diameter 98 mm thk 14 mm w/collar 10 mm
Code 88Z-HTW9814
- > Diameter 98 mm thk 16 mm w/collar 10 mm
Code 88Z-HTW9816
- > Diameter 98 mm thk 18 mm w/collar 10 mm
Code 88Z-HTW9818
- > Diameter 98 mm thk 20 mm w/collar 10 mm
Code 88Z-HTW9820

[Click and discover on the site](#)

CONSUMABLES CAD CAM

ZIRCONIA DISCS CONSUMABLES

88ZB PRE-COLORED MONOLAYER A2-A3-B2-C2-D2

DISC w/collar

Translucency 44% | Flexural strength 1200 MPa | SHT PRESHADE compatible

1 PIECE PER PACK. Available:

- > Diameter 98 mm sp 10 mm w/collar 10mm
Cod. 88Z-PC9810-A2; Cod. 88Z-PC9810-A3
- > Diameter 98 mm sp 12 mm w/collar 10 mm
**Cod. 88Z-PC9812-A2; Cod. 88Z-PC9812-A3; Cod. 88Z-PC9812-B2;
Cod. 88Z-PC9812-C2; Cod. 88Z-PC9812-D2;**
- > Diameter 98 mm sp 14 mm w/collar 10 mm
**Cod. 88Z-PC9814-A1; Cod. 88Z-PC9814-A2; Cod. 88Z-PC9814-A3;
Cod. 88Z-PC9814-A35; Cod. 88Z-PC9814-B2; Cod. 88Z-PC9814-C2;
Cod. 88Z-PC9814-D2**
- > Diameter 98 mm sp 16 mm w/collar 10 mm
**Cod. 88Z-PC9816-A1; Cod. 88Z-PC9816-A2; Cod. 88Z-PC9816-A3;
Cod. 88Z-PC9816-A35; Cod. 88Z-PC9816-B2; Cod. 88Z-PC9816-C2;
Cod. 88Z-PC9816-D2**
- > Diameter 98 mm sp 18 mmw/collar 10 mm
**Cod. 88Z-PC9818-A1; Cod. 88Z-PC9818-A2; Cod. 88Z-PC9818-A3;
Cod. 88Z-PC9818-A35; Cod. 88Z-PC9818-C2; Cod. 88Z-PC9818-D2;**
- > Diameter 98 mm sp 20 mm w/collar 10 mm
**Cod. 88Z-PC9820-A2; Cod. 88Z-PC9820-A3; Cod. 88Z-PC9820-A35;
Cod. 88Z-PC9820-C2; Cod. 88Z-PC9820-D2**
- > Diameter 98 mm sp 22 mm w/collar e 10 mm
Cod. 88Z-PC9822-A2; Cod. 88Z-PC9822-A3;

88ZB 6LAYERS MULTILAYER PRECOLORED A2-A3-B2-C2-D2



DISC w/collar

Translucency 44% | Flexural strength 1200 MPa | Compatible SHT Multilayer

1 PIECE PER PACK. Available:

- > Diameter 98 mm sp 14 mm w/collar 10 mm
**Cod. 88Z-MS9814-A2; Cod. 88Z-MS9814-A3;
Cod. 88Z-MS9814-A35; Cod. 88Z-MS9814-B2;
Cod. 88Z-MS9814-C2; Cod. 88Z-MS9814-D2**
- > Diameter 98 mm sp 16 mm w/collar 10 mm
**Cod. 88Z-MS9816-A2; Cod. 88Z-MS9816-A3;
Cod. 88Z-MS9816-A35; Cod. 88Z-MS9816-B2;
Cod. 88Z-MS9816-C2; Cod. 88Z-MS9816-D2**
- > Diameter 98 mm sp 18 mm w/collar 10 mm
**Cod. 88Z-MS9818-A2; Cod. 88Z-MS9818-A3;
Cod. 88Z-MS9818-A35; Cod. 88Z-MS9818-B1;
Cod. 88Z-MS9818-B2; Cod. 88Z-MS9818-C2
Cod. 88Z-MS9818-D2;**
- > Diameter 98 mm sp 20 mm w/collar 10 mm
**Cod. 88Z-MS9820-A2; Cod. 88Z-MS9820-A3;
Cod. 88Z-MS9820-A35; Cod. 88Z-MS9820-B1;
Cod. 88Z-MS9820-B2; Cod. 88Z-MS9820-C2
Cod. 88Z-MS9820-D2;**

[Click and discover on the site](#)

[Click and discover on the site](#)

CONSUMABLES CAD CAM

ZIRCONIA DISCS CONSUMABLES

3D Pro Multifunctional

3D Pro zirconia is a true revolution in the creation of crowns, bridges and large monolithic rehabilitations. Its aesthetic performance far exceeds expectations, giving the dental technician the opportunity to complete his work in complete tranquility with simple and effective protocols, without having to resort to complex infiltration and surface characterization techniques.

3D Pro, revolutionary multicolor layered zirconia with decreasing chroma saturation, is characterized by an excellent aesthetic gradient.

Thanks to the 3DPro shade guide that you can provide to your dentist, made with the same zirconia that you will mill, you will guarantee high fidelity of your product, making your dental client and his patient certainly satisfied with the aesthetic result.

You can constantly achieve this result in a simple way thanks to the 3DPro protocol.

3DPro is composed of an extremely fine grain size with a manufacturing process cutting-edge with isostatic pressing, controlled pre-sintering and with reserved technologies and protocols.

3DPro is characterized by high resistance to bending and breaking loads (1050>750), guaranteeing any type of processing.

88ZB 3D PRO MULTIFUNCTIONAL PRECOLORATA A2-A3-B2-C2-D2



DISC w/collar

Translucency from 43% to 57% | Flexural strength up to 1050MPa 3D PRO compatible
1 PIECE PER PACK. Available:

> Diameter 98 mm thk 12 mm w/collar 10 mm
Code 88Z-9812MA1-3DPRO; Code 88Z-9812MA2-3DPRO;
Code 88Z-9812MA3-3DPRO; Code 88Z-9812MA35-3DPRO;
Code 88Z-9812MA4-3DPRO; Code 88Z-9812MB1-3DPRO;
Code 88Z-9812MB2-3DPRO; Code 88Z-9812MB3-3DPRO;
Code 88Z-9812MC1-3DPRO; Code 88Z-9812MC2-3DPRO;
Code 88Z-9812MC3-3DPRO; Code 88Z-9812MC4-3DPRO;
Code 88Z-9812MD2-3DPRO; Code 88Z-9812MD3-3DPRO

[Click and discover on the site](#)

> Diameter 98 mm sp 14 mm w/collar 10 mm
Cod. 88Z-9814MA1-3DPRO; Cod. 88Z-9814MA2-3DPRO;
Cod. 88Z-9814MA3-3DPRO; Cod. 88Z-9814MA35-3DPRO;
Cod. 88Z-9814MA4-3DPRO; Cod. 88Z-9814MB1-3DPRO;
Cod. 88Z-9814MB2-3DPRO; Cod. 88Z-9814MB3-3DPRO;
Cod. 88Z-9814MC1-3DPRO; Cod. 88Z-9814MC2-3DPRO;
Cod. 88Z-9814MC3-3DPRO; Cod. 88Z-9814MC4-3DPRO;
Cod. 88Z-9814MD2-3DPRO; Cod. 88Z-9814MD3-3DPRO;
Cod. 88Z-9814MD4-3DPRO

[Click and discover on the site](#)

> Diameter 98 mm sp 16 mm w/collar 10 mm
Cod. 88Z-9816MA1-3DPRO; Cod. 88Z-9816MA2-3DPRO;
Cod. 88Z-9816MA3-3DPRO; Cod. 88Z-9816MA35-3DPRO;
Cod. 88Z-9816MA4-3DPRO; Cod. 88Z-9816MB1-3DPRO;
Cod. 88Z-9816MB2-3DPRO; Cod. 88Z-9816MB3-3DPRO;
Cod. 88Z-9816MB4-3DPRO; Cod. 88Z-9816MC1-3DPRO;
Cod. 88Z-9816MC2-3DPRO; Cod. 88Z-9816MC3-3DPRO;
Cod. 88Z-9816MC4-3DPRO; Cod. 88Z-9816MD2-3DPRO;
Cod. 88Z-9816MD3-3DPRO; Cod. 88Z-9816MD4-3DPRO

[Click and discover on the site](#)

> Diameter 98 mm sp 18 mm w/collar 10 mm
Cod. 88Z-9818MA1-3DPRO; Cod. 88Z-9818MA2-3DPRO;
Cod. 88Z-9818MA3-3DPRO; Cod. 88Z-9818MA35-3DPRO;
Cod. 88Z-9818MA4-3DPRO; Cod. 88Z-9818MB1-3DPRO;
Cod. 88Z-9818MB2-3DPRO; Cod. 88Z-9818MB3-3DPRO;
Cod. 88Z-9818MB4-3DPRO; Cod. 88Z-9818MC1-3DPRO;
Cod. 88Z-9818MC2-3DPRO; Cod. 88Z-9818MC3-3DPRO;
Cod. 88Z-9818MC4-3DPRO; Cod. 88Z-9818MD2-3DPRO;
Cod. 88Z-9818MD3-3DPRO; Cod. 88Z-9818MD4-3DPRO

[Click and discover on the site](#)

> Diameter 98 mm sp 20 mm w/collar 10 mm
Cod. 88Z-9820MA1-3DPRO; Cod. 88Z-9820MA2-3DPRO;
Cod. 88Z-9820MA3-3DPRO; Cod. 88Z-9820MA35-3DPRO;
Cod. 88Z-9820MA4-3DPRO; Cod. 88Z-9820MB1-3DPRO;
Cod. 88Z-9820MB2-3DPRO; Cod. 88Z-9820MB3-3DPRO;
Cod. 88Z-9820MB4-3DPRO; Cod. 88Z-9820MC1-3DPRO;
Cod. 88Z-9820MC2-3DPRO; Cod. 88Z-9820MC3-3DPRO;
Cod. 88Z-9820MC4-3DPRO; Cod. 88Z-9820MD2-3DPRO;
Cod. 88Z-9820MD3-3DPRO; Cod. 88Z-9820MD4-3DPRO

[Click and discover on the site](#)

> Diameter 98 mm sp 22 mm w/collar 10 mm
Cod. 88Z-9822MA1-3DPRO; Cod. 88Z-9822MA2-3DPRO;
Cod. 88Z-9822MA3-3DPRO; Cod. 88Z-9822MA35-3DPRO;
Cod. 88Z-9822MA4-3DPRO; Cod. 88Z-9822MB1-3DPRO;
Cod. 88Z-9822MB2-3DPRO; Cod. 88Z-9822MB3-3DPRO;
Cod. 88Z-9822MB4-3DPRO; Cod. 88Z-9822MC2-3DPRO;
Cod. 88Z-9822MC3-3DPRO; Cod. 88Z-9822MC4-3DPRO;
Cod. 88Z-9822MD2-3DPRO; Cod. 88Z-9822MD3-3DPRO

[Click and discover on the site](#)

> Diameter 98 mm sp 25 mm w/collar 10 mm
Cod. 88Z-9825MA1-3DPRO; Cod. 88Z-9825MA2-3DPRO;
Cod. 88Z-9825MA3-3DPRO; Cod. 88Z-9825MA35-3DPRO;
Cod. 88Z-9825MA4-3DPRO; Cod. 88Z-9825MB1-3DPRO;
Cod. 88Z-9825MB2-3DPRO; Cod. 88Z-9825MB3-3DPRO;
Cod. 88Z-9825MC2-3DPRO; Cod. 88Z-9825MC3-3DPRO;
Cod. 88Z-9825MC4-3DPRO; Cod. 88Z-9825MD2-3DPRO;
Cod. 88Z-9825MD3-3DPRO

[Click and discover on the site](#)

HOLLYWOOD BLEACH 3D PRO



DISC w/collar

Translucency from 43% to 57% | Flexural strength up to 1050MPa 3D PRO compatible
1 PIECE PER PACK. Available:

> Diameter 98 mm thk 12 - 16 - 18 mm w/collar 10 mm
Code 88Z-9812MBL-3DPRO; Code 88Z-9814MBL-3DPRO;

Code 88Z-9816MBL-3DPRO; Code 88Z-9818MBL-3DPRO;

Code 88Z-9820MBL-3DPRO; Code 88Z-9822MBL-3DPRO

[Click and discover on the site](#)

88[®]
dent



Odt. Mr. Chien Ming Kang



info@88dent.com

88dent.com

