

Olive

Olea europaea



During the last years, olive groves has undergone a great evolution. New varieties have been introduced, suitable for high density training system - more than 1000 plants/ha, in which pruning and harvesting are fully mechanized. Differently, there are traditional farming systems that maintain their performance with layouts of 7 x 5 to 6 x 3 metres.

Olive Oil Varieties



BIANCOLILLA

FS-17

CAROLEA

LECCINO

CIMA di BITONTO

NOCIARA

CIMA di MELFI

OGLIAROLA

CIPRESSINO

OLIASTRO

CORATINA

PENDOLINO

FRANTOIO

SIMONE

Table Olive Varieties

BELLA di SPAGNA

SANT'AGOSTINO

NOLCA

TERMITE di BITETTO

PASOLA di ANDRIA



Double Purpose Varieties

ASCOLANA

NOCELLARA MESSINESE

NOCELLARA del BELICE

PICHOLINE





CIMA DI MELFI

MAIN CHARACTERISTICS

Ripening: early
Blossoming: late
Growth habit: expanded, high vigor

FRUIT

Shape: Ovoid
Oil (%): high, around 21%
Oil taste: fruity, light, delicate



CORATINA

MAIN CHARACTERISTICS

Ripening: late
Flowering: early-medium
Growth habit: medium expanded

FRUIT

Shape: elliptical, slightly asymmetric
Oil (%): 18-20%
Oil taste: fruity, spicy, bitter



FRANTOIO

MAIN CHARACTERISTICS

Ripening: early
Flowering: early
Growth habit: medium expanded

FRUIT

Shape: ovoid elongated
Oil (%): 18%
Oil taste: slightly spicy, sapid



LECCINO

MAIN CHARACTERISTICS

Ripening: early
Flowering: late
Growth habit: expanded and thick crown

FRUIT

Shape: ovoid
Oil (%): 16%
Oil taste: fruity, scented



PENDOLINO

MAIN CHARACTERISTICS

Ripening: medium
Flowering: medium
Growth habit: expanded

FRUIT

Shape: ovoid, asymmetric
Oil (%): 16%
Oil taste: delicate, pleasant



FS 17

MAIN CHARACTERISTICS

Ripening: early
Flowering: early-medium
Growth habit: expanded

FRUIT

Shape: ovoid, slightly asymmetric
Oil (%): 18%-20%
Oil taste: fruity, pleasant



TERMITE DI BITETTO

MAIN CHARACTERISTICS

Ripening: late
Flowering: medium
Growth habit: expanded

FRUIT

Shape: spheroidal, slightly asymmetric
Oil (%): 15%
Oil taste: sweet



PICHOLINE

MAIN CHARACTERISTICS

Ripening: late
Flowering: late
Growth habit: expanded, slightly upright

FRUIT

Shape: ellipsoidal elongated
Oil (%): 15%-18%
Oil taste: fruity, bitter, spicy

Pear

Pyrus communis



ROOTSTOCKS

BA 29

BIRCHLEAF PEAR SEEDLINGS
(*Pyrus betulifolia*)

Training systems and number of trees/hectare

TRAINING SYSTEM	TREE SPACING	DENSITY (TREES/HA)
spindle	3,3-3,5 x 0,8-1	2560-4160
Y - shaped and palmette	3,3-3,5 x 1-1,3	3030-2200

PEAR | Ripening Calendar

[illegible]

The time of ripening is indicative as influenced by climate trend.



Pear



BELLA DI GIUGNO

MAIN CHARACTERISTICS

Ripening: early

Growth habit: medium-open,
vigorous and productive

Fertility: pollinizer: Coscia, Spadona,
William, Conference

FRUIT

Shape: pear-shaped

Flesh: white, juicy, good flavour

Skin colour: green, shiny red in the part

Colour: exposed to the sun



FAVARSA

MAIN CHARACTERISTICS

Ripening: early

Growth habit: Expanded, medium-high vigour

Fertility: pollinizer: Conference

FRUIT

Shape: pear-shaped

Flesh: whitish, weaving and medium
consistency, powdery at
complete ripeness, barely juicy

Skin colour: green-yellow, light red
over colour in the part
exposed to the sun



BOHEME

MAIN CHARACTERISTICS

Ripening: early

Growth habit: high vigour

Fertility: pollinizers: Coscia, William

FRUIT

Shape: pear-shaped

Flesh: white, compact, crunchy,
medium juicy, sweet sour,
slightly aromatic

Skin colour: light green, slightly yellow



COSCIA

MAIN CHARACTERISTICS

Ripening time: early

Growth habit tree: vigorous, high productivity

Fertility: pollinizers: Passacrassana,
Bella di Giugno, Spadona

FRUIT

Shape: pear-shaped

Flesh: whitish, buttery and aromatic

Skin colour: bright yellow redden by sun



WILLIAM

MAIN CHARACTERISTICS

Ripening: medium (2nd decade of August)
Growth habit: medium-high vigour and very good production
Fertility: partially self-fertile
Pollinizers: Abate Fetel, Conference, Coscia, Decana del Comizio

FRUIT

Shape: pear-shaped
Flesh: whitish, very good taste, juicy, sweet
Skin colour: slightly yellow redden by sun and dark dotting



CONFERENCE

MAIN CHARACTERISTICS

Ripening: medium
Growth habit: high vigour and production
Fertility: pollinizers suggested: William, Decana del Comizio

FRUIT

Shape: elongated
Flesh: white-yellow, medium hard, sweet and aromatic
Skin colour: yellow-green with rusty spots



ABATE FETEL

MAIN CHARACTERISTICS

Ripening: medium-late
Growth habit: upright, low vigour
Fertility: pollinizers: Conference, Coscia, Decana del Comizio, William, William Rossa

FRUIT

Shape: elongated
Flesh: whitish, very hard, juicy, slightly sour and very sweet
Skin colour: yellow-green over color brown, with the presence of numerous and visible lenticels



DECANA DEL COMIZIO

MAIN CHARACTERISTICS

Ripening: medium-late
Growth habit: High vigour, and of intense production but slowly and unstable
Fertility: pollinizers suggested: William, Conference

FRUIT

Shape: pear-shaped
Flesh: whitish, buttery, sweet and aromatic
Skin colour: yellow-greenish over color pinky-red

Peach

Prunus persica



ROOTSTOCKS

CADAMAN
GARNEM
GF677
MONTCLAR
NEMAGUARD
PENTA
TETRA

Training systems and number of trees/hectare

TREE FORM/SHAPE	TREE SPACING (M)	DENSITY (TREES/HA)
traditional open vase	5-5,5 x 4-4,5	400-500
delayed vase	5,50-6.00 x 4-4,50	450-420
Spanish (Catalan vase)	4,5-5 x 2,5-3	670-890
candelabra	4-4,5 x 3-3,5	630-830
palmette	4-4,5 x 3-3,5	630-830
fusetto	4,5-5 x 1,5-2	1000-1500
Y-shaped	5 x 1,5	1330

Peach White Flesh | Ripening Calendar

[illegible]

The time of ripening is indicative as influenced by climate trend.

Peach Yellow Flesh | Ripening Calendar

[illegible]

The time of ripening is indicative as influenced by climate trend.

Peach White Flesh



MARMARA

MAIN CHARACTERISTICS

Ripening: early
Flowering: early
Growth habit: semi open



FRUIT

Shape: round
Size: AA
Skin colour: dark red
Taste: good, slightly sour, aromatic



PAMELA

MAIN CHARACTERISTICS

Ripening time: early
Flowering: early
Growth habit: semi open



FRUIT

Shape: round
Size: A
Skin colour: dark red
Taste: good, aromatic



MAREVA

MAIN CHARACTERISTICS

Ripening: medium early
Flowering: medium early
Growth habit: semi open



FRUIT

Shape: round
Size: A-AA
Skin colour: bright red
Taste: good, slightly sour, aromatic



ALABAMA

MAIN CHARACTERISTICS

Ripening time: medium late
Flowering: medium
Growth habit tree: semi open



FRUIT

Shape: round
Size: A-AA
Skin colour: dark red
Taste: good, slightly sour, aromatic

Peach White Flesh



NABBY

MAIN CHARACTERISTICS

Ripening: medium late
Flowering: early
Growth habit: semi upright

FRUIT

Shape: slightly oval
Size: AA
Skin colour: bright red
Taste: aromatic



MELISSA

MAIN CHARACTERISTICS

Ripening: late
Flowering: late
Growth habit: semi open

FRUIT

Shape: round
Size: A-AA
Skin colour: dark red
Taste: good, slightly sour, aromatic



OPHELIA

MAIN CHARACTERISTICS

Ripening: late
Flowering: late
Growth habit: upright

FRUIT

Shape: round
Size: AA
Skin colour: bright red
Taste: good, sweet, aromatic



IBIZA

MAIN CHARACTERISTICS

Ripening: late
Flowering: late
Growth habit: semi open

FRUIT

Shape: round
Size: A-AA
Skin colour: dark red
Taste: good, slightly sour, aromatic





NERISIA

MAIN CHARACTERISTICS

Ripening: late
Flowering: early
Growth habit: semi-upright

FRUIT

Shape: slightly oval
Size: AA
Skin colour: dark red
Taste: good, slightly sour, aromatic



BN984-6

MAIN CHARACTERISTICS

Ripening: extra late
Flowering: late
Growth habit: semi-open

FRUIT

Shape: round
Size: A-AA
Skin colour: dark red
Taste: good, aromatic



MARIA DELIZIA

MAIN CHARACTERISTICS

Ripening: extra late
Flowering: late
Growth habit: semi-upright

FRUIT

Shape: round
Size: A
Skin colour: light red
Taste: good



OCTAVIA

MAIN CHARACTERISTICS

Ripening: extra late
Flowering: late
Growth habit: semi-upright

FRUIT

Shape: slightly oval
Size: AA
Skin colour: dark red very charming
Taste: excellent, sweet, aromatic





POMPADOUR

MAIN CHARACTERISTICS

Ripening: extra early
Flowering: early
Growth habit: semi-open



FRUIT

Shape: round
Size: A
Skin colour: dark red
Taste: good, balanced



TASTIRED

MAIN CHARACTERISTICS

Ripening: early
Flowering: early
Growth habit: semi-upright



FRUIT

Shape: round
Size: A
Skin colour: bright red
Taste: balanced



CARLA

MAIN CHARACTERISTICS

Ripening: early
Flowering: medium
Growth habit: semi-open



FRUIT

Shape: round
Size: A
Skin colour: bright red
Taste: good, slightly sour



SUGAR TIME

MAIN CHARACTERISTICS

Ripening: medium early
Flowering: early
Growth habit: upright



FRUIT

Shape: from round to oval
Size: A
Skin colour: bright red
Taste: sweet

Peach Yellow Flesh



PAMPANA

MAIN CHARACTERISTICS

Ripening: medium early
Flowering: medium
Growth habit: semi-open



FRUIT

Shape: round flattened
Size: AA
Skin colour: bright red
Taste: good, slightly sour, aromatic



SOLEDORA

MAIN CHARACTERISTICS

Ripening: medium late
Flowering: medium
Growth habit: semi-open



FRUIT

Shape: round flattened
Size: AA
Skin colour: dark red
Taste: very good, slightly sour



LAMBADA

MAIN CHARACTERISTICS

Ripening: medium late
Flowering: medium
Growth habit: semi-open



FRUIT

Shape: round
Size: AA
Skin colour: bright red
Taste: good, slightly sour, aromatic



ROYAL SUMMER

MAIN CHARACTERISTICS

Ripening: late
Flowering: early
Growth habit: semi-upright



FRUIT

Shape: round, slightly dissymmetric
Size: AA
Skin colour: bright dark red
Taste: good, aromatic, balanced

Peach Yellow Flesh



SWEET DREAM



MAIN CHARACTERISTICS

Ripening: late
Flowering: late
Growth habit: upright

FRUIT

Shape: round flattened
Size: AA
Skin colour: bright red with orange ground colour
Taste: good, sweet, aromatic



PJ272.09



MAIN CHARACTERISTICS

Ripening: extra late
Flowering: early
Growth habit: semi-open

FRUIT

Shape: round
Size: AA
Skin colour: dark red
Taste: good, sweet, aromatic



ODYSEE



MAIN CHARACTERISTICS

Ripening: extra late
Flowering: late
Growth habit: semi-open

FRUIT

Shape: round
Size: AA-AAA
Skin colour: red 100%
Taste: good, very sweet, slightly sour



TARDIRED

MAIN CHARACTERISTICS

Ripening: extra late
Flowering: extra late
Growth habit: semi-open

FRUIT

Shape: round
Size: AA
Skin colour: bright red
Taste: sweet, aromatic

Nectarine

Prunus persica



ROOTSTOCKS

Training systems and number of trees/hectare

	TREE FORM/SHAPE	TREE SPACING (M)	DENSITY (TREES/HA)
CADAMAN	traditional open vase	5-5,5 x 4-4,5	400-500
GARNEM	delayed vase	5,50-6.00 x 4-4,50	450-420
GF677	Spanish (Catalan vase)	4,5-5 x 2,5-3	670-890
MONTCLAR	candelabra	4-4,5 x 3-3,5	630-830
	palmette	4-4,5 x 3-3,5	630-830
NEMAGUARD	fusetto	4,5-5 x 1,5-2	1000-1500
PENTA	Y-shaped	5 x 1,5	1330
TETRA			

Nectarine White Flesh | Ripening Calendar

APRIL						MAY						JUNE						JULY						AUGUST						SEPTEMBER					
5	10	15	20	25	30	5	10	15	20	25	30	5	10	15	20	25	30	5	10	15	20	25	30	5	10	15	20	25	30	5	10	15	20	25	30
										DIAMENTINA	PSB																								
										FLAVELA	PSB																								
										FLAVANA	PSB																								
										SAVORELLA	PSB																								
										ALTAMIRA	PSB																								
										BOREAL	PSB																								
										GARACO	PSB																								
										AMAPOLA	PSB																								
										GARCICA	PSB																								

The time of ripening is indicative as influenced by climate trend.

Nectarine Yellow Flesh | Ripening Calendar

MAY						JUNE						JULY						AUGUST						SEPTEMBER						OCTOBER											
5	10	15	20	25	30	5	10	15	20	25	30	5	10	15	20	25	30	5	10	15	20	25	30	5	10	15	20	25	30	5	10	15	20	25	30						
PATAGONIA						PSB																																			
FLARIBA						PSB																																			
COPACABANA						PSB																																			
GARCIMA						PSB																																			
IPANEMA						PSB																																			
OMEGA						PSB																																			
CARACAS						PSB																																			
GAROFA						PSB																																			
GARTAIRO						PSB																																			
ORIGAMI						PSB																																			
						NORACILIA						PSB																													
						EARLI MAY						IPS																													
						MOMBASA						PSB																													
						EARLI BOMBA						IPS																													
						BIG GLORY						IPS																													
						BIG TOP						IPS																													
						ATANAIS						PSB																													
						MATISS						PSB																													
						BIG FIRE						IPS																													
						BIG HAVEN						IPS																													
						LUCIANA						PSB																													
						CLARISS						PSB																													
						PENELOPE						PSB																													
						CONQUETTE						IPS																													
						KINOLEA						PSB																													
						HAWAI						PSB																													
												ESMERALDA						PSB																							
																		FRANCESCA																							
																								BN1024-5						PSB											
																														CALAPONTE						VIVAI FORTUNATO					
5	10	15	20	25	30	5	10	15	20	25	30	5	10	15	20	25	30	5	10	15	20	25	30	5	10	15	20	25	30	5	10	15	20	25	30						
MAY						JUNE						JULY						AUGUST						SEPTEMBER						OCTOBER											

The time of ripening is indicative as influenced by climate trend.

Nectarine White Flesh



SAVORELLA

MAIN CHARACTERISTICS

Ripening: early
Flowering: extra early
Growth habit: semi-open



FRUIT

Shape: elongated
Size: A
Skin colour: bright dark red
Taste: good, slightly sour



BOREAL

MAIN CHARACTERISTICS

Ripening: early
Flowering: early
Growth habit: semi-open



FRUIT

Shape: round
Size: AA
Skin colour: dark red
Taste: good, slightly sour, aromatic



GARACO

MAIN CHARACTERISTICS

Ripening: medium early
Flowering: early
Growth habit: semi-open



FRUIT

Shape: round
Size: A-AA
Skin colour: dark red
Taste: good, slightly sour, aromatic



CALICOPA

MAIN CHARACTERISTICS

Ripening: medium late
Flowering: medium
Growth habit: semi-open



FRUIT

Shape: round
Size: AA
Skin colour: bright red
Taste: good, slightly sour, aromatic



VAHINE

MAIN CHARACTERISTICS

Ripening: medium late
Flowering: late
Growth habit: semi-open



PSB Producción Vegetal

FRUIT

Shape: round
Size: AA
Skin colour: shiny bright red
Taste: good, slightly sour, aromatic



TIFANY

MAIN CHARACTERISTICS

Ripening: late
Flowering: late
Growth habit: semi-open



PSB Producción Vegetal

FRUIT

Shape: round
Size: AA
Skin colour: dark red
Taste: sweet, slightly sour, aromatic



TIMOTEA

MAIN CHARACTERISTICS

Ripening: extra late
Flowering: late
Growth habit: semi-open



PSB Producción Vegetal

FRUIT

Shape: round
Size: AA
Skin colour: dark red
Taste: sweet, slightly sour, aromatic



SIDONIA

MAIN CHARACTERISTICS

Ripening: extra late
Flowering: late
Growth habit: semi-open



PSB Producción Vegetal

FRUIT

Shape: round
Size: AA
Skin colour: dark red
Taste: good, slightly sour, aromatic



COPACABANA

MAIN CHARACTERISTICS

Ripening time: extra early
Flowering: early
Growth habit: semi-open



FRUIT

Shape: round
Size: A
Skin colour: bright red
Taste: sweet, slightly sour



CARACAS

MAIN CHARACTERISTICS

Ripening: early
Flowering: early
Growth habit: semi-open



FRUIT

Shape: round
Size: A-AA
Skin colour: bright red
Taste: good, slightly sour



ORIGAMI

MAIN CHARACTERISTICS

Ripening: early
Flowering: early
Growth habit: semi-open



FRUIT

Shape: round
Size: A-AA
Skin colour: bright red
Taste: good, slightly sour



EARLI MAY

MAIN CHARACTERISTICS

Ripening: medium early
Blossoming: early
Growth habit: semi-upright



FRUIT

Shape: round
Size: B-A
Skin colour: polished red, very charming
Taste: good, sweet, balanced



EARLI BOMBA

MAIN CHARACTERISTICS

Ripening: medium early
Flowering: early
Growth habit: semi-upright

FRUIT

Shape: round, slightly flat
Size: A
Skin colour: bright dark red, very charming
Taste: good, balanced



BIG TOP

MAIN CHARACTERISTICS

Ripening: medium early
Flowering: early
Growth habit: semi-upright

FRUIT

Shape: round
Size: AA-A
Skin colour: red
Taste: good, slightly sour

Mondial Fruit Selection



ATANAIS

MAIN CHARACTERISTICS

Ripening: medium late
Flowering: medium
Growth habit: semi-open

FRUIT

Shape: round
Size: AA
Skin colour: bright shiny red
Taste: good, slightly sour



MATISS

MAIN CHARACTERISTICS

Ripening: medium late
Flowering: medium
Growth habit: semi-open

FRUIT

Shape: round
Size: AA
Skin colour: bright shiny red,
Taste: good, slightly sour, aromatic





BIG HAVEN

MAIN CHARACTERISTICS

Ripening: late
Flowering: medium
Growth habit: semi-open

FRUIT

Shape: round
Size: AA-A
Skin colour: bright red
Taste: balanced



CLARISS

MAIN CHARACTERISTICS

Ripening: late
Flowering: medium
Growth habit: semi-open

FRUIT

Shape: round
Size: AA-A
Skin colour: dark red
Taste: good, slightly sour, aromatic



PENELOPE

MAIN CHARACTERISTICS

Ripening: late
Flowering: medium
Growth habit: semi-open

FRUIT

Shape: round
Size: AA-A
Skin colour: dark red
Taste: good, slightly sour, aromatic



CONQUETE

MAIN CHARACTERISTICS

Ripening: late
Flowering: late
Growth habit: semi-erect

FRUIT

Shape: round
Size: AA-A
Skin colour: bright red
Taste: sweet, aromatic



Nectarine Yellow Flesh



HAWAI

MAIN CHARACTERISTICS

Ripening: extra late
Flowering: late
Growth habit: semi-opened

FRUIT

Shape: round
Size: AA
Skin colour: red
Taste: sweet, slightly sour



ESMERALDA

MAIN CHARACTERISTICS

Ripening: extra late
Flowering: late
Growth habit: semi-opened

FRUIT

Shape: round
Size: A-AA
Skin colour: red orange
Taste: slightly sour, aromatic



BN1024-5

MAIN CHARACTERISTICS

Ripening: extra late
Flowering: late
Growth habit: semi-opened

FRUIT

Shape: round
Size: A-AA
Skin colour: red orange
Taste: slightly sour, aromatic



CALAPONTE

MAIN CHARACTERISTICS

Ripening: extra late
Flowering: extra late
Growth habit: semi-opened

FRUIT

Shape: round
Size: A
Skin colour: red orange
Taste: slightly sour, aromatic



Peach

Prunus persica



ROOTSTOCKS

Training systems and number of trees/hectare

	TREE FORM/SHAPE	TREE SPACING (M)	DENSITY (TREES/HA)
CADAMAN	traditional open vase	5-5,5 x 4-4,5	400-500
GARNEM	delayed vase	5,50-6.00 x 4-4,50	450-420
GF677	Spanish (Catalan vase)	4,5-5 x 2,5-3	670-890
MONTCLAR	candelabra	4-4,5 x 3-3,5	630-830
	palmette	4-4,5 x 3-3,5	630-830
NEMAGUARD	fusetto	4,5-5 x 1,5-2	1000-1500
PENTA	Y-shaped	5 x 1,5	1330

Peach | Ripening Calendar

[illegible]

The time of ripening is indicative as influenced by climate trend.



SEGRE

MAIN CHARACTERISTICS

Ripening: early
Flowering: medium
Growth habit: semi-open



FRUIT

Shape: round
Size: AA
Skin colour: yellow background
with red veined shades
Taste: aromatic, fresh, sweet



ROMEA

MAIN CHARACTERISTICS

Ripening: medium early
Flowering: medium
Growth habit: semi-open

FRUIT

Shape: round, slightly flat
Size: AA
Skin colour: yellow background
with red overcolour
(20%-40% of the surface)
Taste: sweet, aromatic



MYRIAN

MAIN CHARACTERISTICS

Ripening: medium early
Flowering: medium
Growth habit: semi-open



FRUIT

Shape: round
Size: AA
Skin colour: yellow with red veining
Taste: sweet, very sweet



BABY GOLD 5

MAIN CHARACTERISTICS


Ripening: medium late
Flowering: medium late
Growth habit: semi-open

FRUIT

Shape: round
Size: A-AA
Skin colour: yellow orange
Taste: sweet, aromatic



POBLET



MAIN CHARACTERISTICS

Ripening: late
Flowering: late
Growth habit: semi-upright

FRUIT

Shape: round
Size: AA
Skin colour: yellow background with red veining
Taste: aromatic, fresh, sweet



VERUELA



MAIN CHARACTERISTICS

Ripening: late
Flowering: late
Growth habit: semi-upright

FRUIT

Shape: round
Size: AA
Skin colour: yellow background with red veining
Taste: aromatic, fresh, sweet



BABY GOLD 9

MAIN CHARACTERISTICS

Ripening: extra late
Flowering: late
Growth habit: semi-open

FRUIT

Shape: round
Size: A-AA
Skin colour: yellow orange
Taste: sweet, aromatic



TIETAR



MAIN CHARACTERISTICS

Ripening: extra late
Flowering: late
Growth habit: semi-open

FRUIT

Shape: round
Size: A-AA
Skin colour: yellow on 100%
Taste: aromatic, fresh, sweet

Flat Peach

Prunus persica




ROOTSTOCKS

Training systems and number of trees/hectare

	TREE FORM/SHAPE	TREE SPACING (M)	DENSITY (TREES/HA)
CADAMAN	traditional open vase	5-5,5 x 4-4,5	400-500
GARNEM	delayed vase	5,50-6.00 x 4-4,50	450-420
GF677	Spanish (Catalan vase)	4,5-5 x 2,5-3	670-890
MONTCLAR	candelabra	4-4,5 x 3-3,5	630-830
	palmette	4-4,5 x 3-3,5	630-830
NEMAGUARD	fusetto	4,5-5 x 1,5-2	1000-1500
PENTA	Y-shaped	5 x 1,5	1330

Flat Peach | Ripening Calendar



- FLAT PEACH - YELLOW FLESH
- FLAT PEACH - WHITE FLESH
- FLAT NECTARINE - WHITE FLESH
- FLAT NECTARINE - YELLOW FLESH

The time of ripening is indicative as influenced by climate trend.



KIWANI

MAIN CHARACTERISTICS

Ripening: extra early
Flowering: early
Growth habit: semi-open
Flesh colour: yellow



FRUIT

Shape: flat
Size: A
Skin colour: red
Taste: sweet, slightly sour



ZODIAC

MAIN CHARACTERISTICS

Ripening: early
Flowering: early
Growth habit: semi-open
Flesh colour: white



FRUIT

Shape: Flat
Size: B-A
Skin colour: dark red
Taste: good, slightly sour, aromatic



LORIPLAT

MAIN CHARACTERISTICS

Ripening: medium early
Flowering: medium
Growth habit: semi-open
Flesh colour: white



FRUIT

Shape: flat
Size: A-AA
Skin colour: red
Taste: sweet, tasty



SAMANTHA

MAIN CHARACTERISTICS

Ripening: medium early
Flowering: medium
Growth habit: semi-open
Flesh colour: white



FRUIT

Shape: flat
Size: A-AA
Skin colour: bright red
Taste: sweet, tasty




MARIPLAT

MAIN CHARACTERISTICS

Ripening: medium early
Flowering: medium
Growth habit: semi-open
Flesh colour: white

FRUIT

Shape: flat
Size: A-AA
Skin colour: dark red
Taste: sweet, tasty



CONTESSA

MAIN CHARACTERISTICS

Ripening: medium early
Flowering: medium
Growth habit: semi-open
Flesh colour: white

FRUIT

Shape: flat
Size: AA-A
Skin colour: bright red
Taste: good, slightly sour



MARQUESA

MAIN CHARACTERISTICS

Ripening: medium late
Flowering: medium
Growth habit: semi-open
Flesh colour: white

FRUIT

Shape: flat
Size: AA
Skin colour: red
Taste: very sweet, slightly sour



BABYLONE

MAIN CHARACTERISTICS

Ripening: medium late
Flowering: medium
Growth habit: semi-open
Flesh colour: white

FRUIT

Shape: flat
Size: AA
Skin colour: dark red
Taste: good, slightly sour, aromatic





CYCLADE

MAIN CHARACTERISTICS

Ripening: late
Flowering: medium
Growth habit: semi-open
Flesh colour: white



FRUIT

Shape: flat
Size: AA
Skin colour: red
Taste: sweet, slightly sour



FILOE

MAIN CHARACTERISTICS

Ripening: late
Flowering: late
Growth habit: semi-open
Flesh colour: white



FRUIT

Shape: flat
Size: AA
Skin colour: dark red
Taste: good, slightly sour, aromatic



SAUZEE 665

MAIN CHARACTERISTICS

Ripening: late
Flowering: late
Growth habit: semi-erect
Flesh colour: white



FRUIT

Shape: flat
Size: A
Skin colour: bright red
Taste: very good, sweet



SAUZEE 669

MAIN CHARACTERISTICS

Ripening: extra late
Flowering: late
Growth habit: semi-open
Flesh colour: white



FRUIT

Shape: flat
Size: AA
Skin colour: bright red
Taste: good, sweet, aromatic



LUISELLA

MAIN CHARACTERISTICS

Ripening: early
Flowering: early
Growth habit: semi-erect
Flesh colour: white

FRUIT

Shape: round, Flat
Size: A-B
Skin colour: dark red
Taste: good, sweet, slightly sour



TINTOSA

MAIN CHARACTERISTICS

Ripening: medium late
Flowering: early
Growth habit: semi-erect
Flesh colour: white

FRUIT

Shape: round, flat
Size: A
Skin colour: dark red
Taste: good, sweet, slightly sour



CANOPPE

MAIN CHARACTERISTICS

Ripening: late
Flowering: medium
Growth habit: semi-erect
Flesh colour: white

FRUIT

Shape: round, flat
Size: A-AA
Skin colour: dark red
Taste: good, sweet, slightly sour



COOKIE

MAIN CHARACTERISTICS

Ripening: extra late
Flowering: late
Growth habit: semi-erect
Flesh colour: white

FRUIT

Shape: round, flat
Size: A-AA
Skin colour: dark red
Taste: good, sweet, slightly sour



Plum

Prunus salicina (Japanese plum)
Prunus domestica (European plum)




ROOTSTOCKS

GF677
 MYROBALAN SEEDLING
 MYROBALAN 29 C
 PENTA
 TETRA

Training systems and number of trees/hectare

SYSTEM	TREE SPACING (M)	DENSITY (TREES/HA)
vase	5-5,5 x 3-4	450-660
fusetto	4-4,5 x 1,5	1660-2500
Y-shaped	4-5 x 1,5	1330-1660

Plum | Ripening Calendar



The time of ripening is indicative as influenced by climate trend.

● JAPANESE PLUM ● EUROPEAN PLUM



ROSSAMOR

JAPANESE

MAIN CHARACTERISTICS

Ripening: early
Flowering: early
Growth habit: semi-open



FRUIT

Shape: round, flat
Size: AA-A
Skin colour: red
Taste: good, tasty



EBONY 61

JAPANESE

MAIN CHARACTERISTICS

Ripening: early
Flowering: medium- early
Growth habit: open



FRUIT

Shape: round, flat
Size: A-AA
Skin colour: violet
Taste: good, tasty



PALLATINA

JAPANESE

MAIN CHARACTERISTICS

Ripening: medium-late
Flowering: medium- early
Growth habit: semi-open



FRUIT

Shape: round, flat
Size: A-AA
Skin colour: red, flesh red
Taste: very good, sweet, aromatic



COQUINE

JAPANESE

MAIN CHARACTERISTICS

Ripening: medium-late
Flowering: late
Growth habit: semi-erect



FRUIT

Shape: round, to heart shape
Size: AA
Skin colour: dark red
Taste: sweet, juicy, aromatic



TITINE

JAPANESE

MAIN CHARACTERISTICS

Ripening: late
Flowering: late
Growth habit: semi-upright

FRUIT

Shape: round
Size: AA
Skin colour: purple
Taste: excellent, balanced



EBONY 55

JAPANESE

MAIN CHARACTERISTICS

Ripening: late
Flowering: medium-late
Growth habit: semi-open

FRUIT

Shape: round
Size: AA-AAA
Skin colour: violet
Taste: good, tasty



DIVINE

JAPANESE

MAIN CHARACTERISTICS

Ripening: extra- late
Flowering: late
Growth habit: semi-open

FRUIT

Shape: round
Size: AA
Skin colour: red pink
Taste: sweet, juicy, crunchy



EBONY 122

JAPANESE

MAIN CHARACTERISTICS

Ripening: extra- late
Flowering: late
Growth habit: semi-open

FRUIT

Shape: round
Size: AA
Skin colour: violet
Taste: sweet

