



THE EXCELLENCE
BETWEEN
NATURE,
QUALITY AND
TECHNOLOGY



30 YEARS OF INNOVATION...

30 Years of Experience and Knowyhow in the production and processing of building products let IMER Srl be a company strongly oriented to the product's and service's excellence, with a view to profitable relations with the National and International market. The obsessive attention to product excellence, the impulse for innovation have been the foundations and the keys that have transformed the dream of a very young entrepreneur into reality.

Sands from natural stones, marble grits: only natural materials rigorously selected for products of high quality and aestethic

profile able to respond to the requests and needs of an increasingly demanding and qualified market. These are the values on which Imer Srl shapes its Mission.

The high quality profile is a constant in its production, thanks to the careful selection of local raw materials, to the application of the most updated working and production methods that spring from the experience got from 30 years of experience, to a **structured** organization and a qualified Team that guarantee quality and efficiency from the production departments to the commercial and distribution network.

All that establishes the competitive advantage of IMER Srl V ISO 9001 certified company and guarantee production capacity, quality control and well/made products, functional and practical in terms of application and maintenance; unique products thanks to the care we put in the finishing phase.



EXPERIENCE



32 EMPLOYEES





QUALITY





PRODUCTION



PRODUCTS AND STORAGE AREA

















® MAISTER OF THE STATE OF THE S




Classic Wall Coping and its accessories



Step and its accessories



Column Cap



Wall Coatings



Biocarparo line




Meter long Baseboard



Fences



Fences Horizon




Blocks



Natural Border Sidewalk







WALL COPING in cement supersmoothed coloured and water resistant

4 pieces per ML


	ART.	INT. MEA W		DAI	LET			available	colours		
	AKI.	Cm	Kg	ML	Pcs	LIGHT GREY	DARK GREY	RED	WHITE	YELLOW	LIGHT SALMON
			9		. 55	GREY	GREY	82055	95/20/03	LONGROUS	
40	2000					2200000000	BOSHOWS:	AMERICO STATE		#2000200E	Bren.
20,5 cm											
E 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2											
10,5 cm	CM/01	10,5	4,5	80	320	√	√	√	√	√	√
	,	,-	-,-					•	_	•	
21,5 cm											
E 11,5 cm											
, I II'2 III []	CM/02	11,5	5	80	320	√	√	√	√	√	√
24,5 cm											
Z Z											
14,0 cm	CM/08	14,0	5,5	72	288	√	√	√	√	√	√
	0111,700	, -				•		•		V	
26,5 cm											
E C											
16,5 cm	CM/03	16,5	5,7	60	240	√	√	√	√	√	√
28,5 cm											
E T											
18,5 cm	CM/04	18,5	6,2	60	240	√	√	√	√	√	√
	CIVI/OT	10,5	0,2		240	V	V	V	V	V	V
32 cm											
E											
22 cm	CM/05	22,0	6,8	54	216	√	√	√	√	√	√
35 cm											
*											
€ 24 cm	CM/09	24,0	7,5	54	216	√	-1	√	-1	_1	√
	CIVI/U9	Z4,U	7,3	54	210	٧	√	٧	√	√	٧
37 cm											
27 cm	CM/06	27,0	7,9	44	176	√	√	√	√	√	√
<i>(-</i>											
42 cm	,										
₹ 32 cm	CM/OF	72.0	8,6	40	160	,	,	,	,	,	,
_	CM/07	32,0	0,0	40	160	√	√	√	√	√	√

15% surcharge for unpalletised goods









WALL COATING SPECIAL PIECES

CORNER in cement supersmoothed coloured and water resistant





ART.	INT. MEA.	weight per pcs.	PALLET	available colours						
	Cm	Kg	Pcs	LIGHT GREY	DARK GREY	RED	WHITE	YELLOW	LIGHT SALMON	
				列取等 招			201900	CONTRACT	BITT	
CM/A/01	10,5	5,0	60	√	√	√	√	√	√	
CM/A/02	11,5	5,5	60	√	√	√	√	√	√	
CM/A/08	14,0	6,1	60	√	√	√	√	√	√	
CM/A/03	16,5	11,8	60	√	√	√	√	√	√	
CM/A/04	18,5	12,8	60	√	√	√	√	√	√	
CM/A/05	22,0	14,5	60	√	√	√	√	√	√	
CM/A/09	24,0	14,6	60	√	√	√	√	√	√	
CM/A/06	27,0	16,9	60	√	√	√	√	√	√	
CM/A/07	32,0	17,5	60	√	√	√	√	√	√	

HEADBOARD in cement supersmoothed coloured and water resistant






ART.	INT. MEA	weight per pcs.	PALLET	available colours					
	Cm	Kg	Pcs	LIGHT GREY	DARK GREY	RED	WHITE	YELLOW	LIGHT SALMON
				90000				£3550	BUTE.
CM/T/01	10,5	5,0	60	√	√	√	√	√	√
CM/T/02	11,5	5,5	60	√	√	√	√	√	√
CM/T/08	14,0	6,0	60	√	√	√	√	√	√
CM/T/03	16,5	6,2	60	√	√	√	√	√	√
CM/T/04	18,5	6,8	60	√	√	√	√	√	√
CM/T/05	22,0	7,3	60	√	√	√	√	√	√
CM/T/09	24,0	8,0	60	√	√	√	√	√	√
CM/T/06	27,0	8,4	60	√	√	√	√	√	√
CM/T/07	32,0	9,1	60	√	√	√	√	√	√










STEP in cement supersmoothed coloured and water resistant

4 pieces per ML



ART.	INT. MEA	weight per pcs.	PALLET		available colours								
	Cm	Kg	ML	Pcs	LIGHT GREY	DARK GREY	RED	WHITE	YELLOW	LIGHT SALMON			
					300000	W. 13	450			BATTE .			
GR/01	31,0	7,0	68	272	√	√	√	√	√	√			



15% surcharge for unpalletised goods

STEP CORNER in cement supersmoothed coloured and water resistant





ART.	INT. MEA	weight per pcs.	PALLET			available	e colours		
	Cm	Kg	Pcs	LIGHT GREY	DARK GREY	RED	WHITE	YELLOW	LIGHT SALMON
				30000					BUT TO
GR/AD/01	31x20	7,3	60	√	√	√	√	√	√
GR/AS/01	31x20	7,3	60	√	√	√	√	√	√

NEWS

FLOOR in cement supersmoothed coloured and water resistant





ART.	MEA	weight per pcs	PAL	LET			available	e colours		
	Cm	Kg	Mq^{Ped}	Pcs ^{Mq}	LIGHT GREY	DARK GREY	RED	WHITE	YELLOW	LIGHT SALMON
					3000			557.55		De la Constantina
PVSL/01	25x25x1,7	2,20	48	16	√	-	-	-	-	-
PVSL/02	25x25x1,7	2,20	48	16	-	√	-	-	-	-
PVSL/03	25x25x1,7	2,20	48	16	-	-	√	-	-	-
PVSL/04	25x25x1,7	2,20	48	16	-	-	-	√	-	-
PVSL/05	25x25x1,7	2,20	48	16	-	-	-	-	√	-
PVSL/06	25x25x1,7	2,20	48	16	-	-	-	-	-	√







COLUMN CAPITAL* in cement smoothed coloured and water resistant





* full cap got from the block

EXTERNAL FRAME® smoothed and water resistant

2 pieces per ML





ART.	MEA	Weight per pcs	PALLET			avail	able co	lours		
	Cm	Kg	ML Pcs	CARPARO YELLOW	WHITE MEDITERR.	LIGHT GREY	RED	WHITE	YELLOW	LIGHT SALMON
					AST.	是認為	600	Mars.		NEW Y
TS/01	50x4,5x6	2,5	200 400	√	-	-	-	-	_	-
TS/02	50x4,5x6	2,5	200 400	-	√	-	-	-	-	-
TS/04	50x4,5x6	2,5	200 400	-	-	√	-	-	-	-
TS/05	50x4,5x6	2,5	200 400	-	-	-	√	-	-	-
TS/06	50x4,5x6	2,5	200 400	-	-	-	-	√	-	-
TS/07	50x4,5x6	2,5	200 400	-	-	-	-	-	√	-
TS/08	50x4,5x6	2,5	200 400	-	-	-	-	-	-	√

BASEBOARD in cement smoothed coloured and water resistant


2 pcs per ML




	_ 0 00 0 0											
ART.	MEA	Weight per pcs	PAL	LET	available colours							
	Cm	Kg	ML	Pz	LIGHT GREY	RED	WHITE	YELLOW	LIGHT SALMON			
					Mark W.		Trans.		经过度整			
BT/01	50x10x1,5	1,5	150	300	√	√	√	√	√			








EXTERNAL WALL COATING® smoothed and water resistant







available colours

BUSH-HAMMERED WALL COATING® and water resistant

weight

MEA

PALLET

60 cm
30 cm
bevelled on 2 sides

	Cm	Kg	$Mq^{\text{\tiny Pall}}$	Pcs ^{Mq}	YELLOW	MEDITERR. WHITE	LIGHT GREY	RED	WHITE	YELLOW	LIGHT SALMON
							SESS				
RSGB/01	60x30x1,7	6,2	36	5,5	√	-	-	-	-	-	-
RSGB/02	60x30x1,7	6,2	36	5,5	-	√	-	-	-	-	-
RSGB/04	60x30x1,7	6,2	36	5,5	-	_	√	-	-	-	-
RSGB/05	60x30x1,7	6,2	36	5,5	-	-	-	/	-	-	-
RSGB/06	60x30x1,7	6,2	36	5,5	-	-	-	-	√	-	-
RSGB/07	60x30x1,7	6,2	36	5,5	-	-	-	-	-	√	-
RSGB/08	60x30x1,7	6,2	36	5,5	-	-	-	-	-	-	√




MADE IN ITALY


















.....

chamfering on 2 sides

BIOCARPARO WALL COATINGS

ART.	MEA	PALI	LET	available colours
	Cm	Mq. Pall	Pcs Mq	
RB56/18	50x18x1,3	48	11	√
RB56/25	50x25x1,3	54	8	√
RB56/30	60x30x1,8	36	5,5	√



BIOCARPARO EXTERNAL FRAME

ART.	MEA	PALLET		available colours
	Cm	ML	Pcs	
TB/01	50x4,5x6	200	400	√







EXTERNAL 1METER BASEBOARD® supersmoothed and water resistant

ART.	INT. MEA	Weight	Pallet	available colours						
	Cm	Kg	Pcs	LIGHT GREY	RED	WHITE	YELLOW	LIGHT SALMON		
				3000000		Market		De la Constantina		
BT/M/01	100x12x1,7	4,1	60	√	√	√	√	√		
BT/M/02	100x15x1,7	5,3	60	√	√	√	√	√		
BT/M/03	100x18,5x1,7	6,7	60	√	√	√	√	√		











MAGNIFICA* | Modular Fence in cement smoothed coloured and water resistant



ART.	MEA	Weight	Pa	llet	available colours						
	Cm	Kg	ML	Ped	LIGHT GREY	RED	WHITE	YELLOW	LIGHT SALMON		
					MESSE		Trans.		STEEL		
RZ/01	15x15xh80	23,0	4	49	√	√	√	√	√		

* lathe processing

DUCALE | Modular Fence in cement smoothed coloured and water resistant



ART.	MEA	Weight	Pa	llet		available colours						
	Cm	Kg	ML	Ped	LIGHT GREY	RED	WHITE	YELLOW	LIGHT SALMON			
					MARKET		Dept.		NO.			
RZ/02	15x10xh90	21,0	5	60	√	√	√	√	√			

MAGNIFICA



DUCALE











SOLARE | Modular Fence in cement smoothed coloured and water resistant




ART.	MEA	Weight per pcs	р	CS		ava	ilable colo	urs	
	Cm	Kg	ML	Ped	LIGHT GREY	RED	WHITE	YELLOW	LIGHT SALMON
					MESSA		DOM:		NEEDER.
RZ/03	25x10xh90	34,0	4	40	√	√	√	√	√

MEDITERRANEA | Modular Fence in cement smoothed coloured and water resistant




ART.	MEA	Weight per pcs	р	CS		available colours						
	Cm	Kg	ML	Ped	LIGHT GREY	RED	WHITE	YELLOW	LIGHT SALMON			
					MESSEW.		In the way		经过度			
RZ/04	25x10xh90	29,0	4	40	√	√	√	√	√			

MAESTRALE | Modular Fence in cement smoothed coloured and water resistant



ART.	MEA	Weight per pcs	р	cs		ava	ilable colo	urs		
	Cm	Kg	Mq	Ped	LIGHT RED		WHITE	YELLOW	V LIGHT SALMON	
					MANUAL MA		MERKE		NEW SE	
RZ/05	50x10xh26	15,0	8	80	√	√	√	√	√	









ACCESSORIES

COATING FOR FENCES in cement smoothed coloured and water resistant

2 pieces per ML



ART.	MEA	Weight per pcs	р	CS	available colours						
	Cm	Kg	ML	Pcs	LIGHT GREY	RED	WHITE	YELLOW	LIGHT SALMON		
					MESSEW!		DEFRE		经过度		
RZ/CO/01	50x15xh6,5	14,0	75	150	√	√	√	√	√		
RZ/CO/02	50x17xh6,5	17,0	60	120	√	√	√	√	√		

HEADBOARD FOR FENCES COATING in cement smoothed coloured and water resistant



ART.	M MEA IS.	Weight per pcs	PALLET	available colours								
	Cm	Kg	Pcs	LIGHT GREY	RED	WHITE	YELLOW	LIGHT SALMON				
				MESSEW.		Desired.		经过度				
RZ/CT/01	25x15xh6,5	5,0	60	√	√	√	√	√				
RZ/CT/02	25x17xh6,5	6,0	60	√	√	√	√	√				

BASE CAP in cement smoothed coloured and water resistant




ART.	MEA	Weight per pcs	PALLET	available colours							
	Cm	Kg	Pcs	LIGHT GREY	RED	WHITE	YELLOW	LIGHT SALMON			
				SECTION .				经过度			
RZ/BS/01	30x30xh6,5	11,0	60	√	√	√	√	√			



PYRAMID CAPITAL in cement smoothed coloured and water resistant



ART.	MEA	Weight per pcs	PALLET		ava	ilable colo	urs	
	Cm	Kg	Pcs	LIGHT GREY	RED	WHITE	YELLOW	LIGHT SALMON
				SECTION.		Markey		STORE
RZ/PR/01	23x23xh10	5,0	60	√	√	√	√	√











FENCES

ACCESSORIES

CLASSIC PILLAR WITH CHAMFERING in cement coloured and water resistant



ART.		MEA.	Weight per pcs	PALLET		ava	ilable colo	urs	
		Cm	Kg	Pz	LIGHT GREY	RED	WHITE	YELLOW	LIGHT SALMON
					SECTION .		heras		STEE
RZ/PC/C	1	30x17xh30 incastro 11/3,5	17,0	72	√	√	√	√	√
RZ/PC/0	2	30x17xh20 incastro 11/3,5	11,5	72	√	√	√	√	√



CLASSIC CORNER PILLAR WITH CHAMFERING in cement coloured and water resistant




ART.	MEA.	Weight per pcs	PALLET	available colours				
	Cm	Kg	Pz	LIGHT GREY	RED	WHITE	YELLOW	LIGHT SALMON
				MESSEW.		In the second		经过度是
RZ/PC/A/01	30x30x17xh30/3,5	22,5	27	√	√	√	√	√
RZ/PC/A/02	30x30x17xh20/3,5	15,0	27	√	√	√	√	√



CLASSIC HEADBOARD PILLAR WITH CHAMFERING in cement coloured and water resistant



ART.	MEA.	Weight per pcs	PEDANA	available colours				
	Cm	Kg	Pz	LIGHT GREY	RED	WHITE	YELLOW	LIGHT SALMON
				是是是相		Track as		STORE
RZ/PC/T/01	29x17xh30/3,5	17,0	36	√	√	√	√	√
RZ/PC/T/02	29x17xh20/3,5	11,5	36	√	√	√	√	√



SQUARE PILLAR in cement NATURAL coloured and water resistant



ART.	MEA.	Weight per pcs	PEDANA	available colours					
	Cm	Kg	Pz	LIGHT GREY	RED	WHITE	YELLOW	LIGHT SALMON	
						TOTAL SALES		HELES	
RZ/PQ/01	25x25xh20	12,0	64	√	√	√	√	√	









CRIZON

EXTERNAL 1 METER LONG SLAB HORIZON smoothed / bushhammered and water resistant

	ART.	MEA.	Weight per pcs	PALLET	avai	lable col	ours
		Cm	Kg	Pcs	LIGHT GREY	WHITE	YELLOW
Slab price inclusive of 2 spacers					MESSEE		
	HRZ/L	121,5x13x3,5	8,4	112	√	√	√

SPACER FOR HORIZON FENCE HRZ/D 3,5x1,5xh1,5 √ √ √ √

Price spacers per request more than 2 pieces per slab

NATURAL HORIZON PILLAR in cement coloured and water resistant





ART.	MEA.	Weight per pcs	PALLET	ava	urs	
	Cm	Kg	Pcs	LIGHT GREY	WHITE	YELLOW
				Mark Mark	FREE	
HRZ/P/I/01	30x17xh30 incastro 11/3,5	17,0	72	√	√	√
HRZ/P/I/02	30x17xh20 incastro 11/3,5	11,5	72	√	√	√

NATURAL CORNER HORIZON PILLAR in cement coloured and water resistant





ART.	MEA.	Weight per pcs	PALLET	ava	ours		
	Cm	Kg	Pcs	LIGHT GREY	LIGHT GREY WHITE		
				MESSE WI	Departure.		
HRZ/P/A/01	30x30x17xh30/3,5	22,5	27	√	√	√	
HRZ/P/A/02	30x30x17xh20/3,5	15,0	27	√	√	√	

HORIZON PILLAR HEAD in cement coloured and water resistant





ART.	MEA.	Weight per pcs	PALLET	ava	available colo	
	Cm	Kg	Pcs	LIGHT GREY	WHITE	YELLOW
				是認識地	DEFERM	
HRZ/P/T/01	29x17xh30/3,5	17,0	36	√	√	√
HRZ/P/T/02	29x17xh20/3,5	11,5	36	√	√	√
	HRZ/P/T/01	Cm HRZ/P/T/01 29x17xh30/3,5	Cm Kg HRZ/P/T/01 29x17xh30/3,5 17,0	Cm Kg Pcs HRZ/P/T/01 29x17xh30/3,5 17,0 36	Cm Kg Pcs LIGHT GREY HRZ/P/T/01 29x17xh30/3,5 17,0 36 √	Cm Kg Pcs Light GREY WHITE HRZ/P/T/01 29x17xh30/3,5 17,0 36 √ √

HORIZON CAP in cement coloured and water resistant



ART.	MEA.	Weight per pcs	PALLET	avai	ilable colo	urs
	Cm	Kg	Pcs	LIGHT GREY	WHITE	YELLOW
				MESSEW	hartes	
HRZ/CP	27x16,5x5	5,5	60	√	√	√






LOCKZI


BLOCK21 double face honed rectified and waterproof



BLOCK21 HEADER in colored and water-repellent cement




BLOCK21 COLUMN in colored and water√repellent cement



BLOCK21 COLUMN CAPITAL* ELITE in colored and water√repellent cement



BLOCK21 COLUMN CAPITAL* EVO in colored and water√repellent cement









NATURAL SIDEWALK in colored and water√repellent cement

2 pcs per ML



	_ 0 00 0 0.									
ART.	MEA.	Weight per pcs	PAI	LLET	ET available colours					
	Cm	Kg	ML	Pcs	GREY	RED	WHITE	YELLOW	SALMON	
						是是於是	AND NOT		REPRESE	
CON/01	50x7,5xh19	14,0	52	104	√	-	-	-	_	
CON/02	50x7,5xh19	14,0	52	104	-	√	-	-		
CON/03	50x7,5xh19	14,0	52	104	-	-	√	-	-	
CON/04	50x7,5xh19	14,0	52	104	-	-	-	√	-	
CON/05	50x7,5xh19	14,0	52	104	-	-	-	-	√	

SMOOTH EFFECT

The wall coatings slabs®, seasoned and properly cut, stand out for the surface smoothed and solid that put in evidence the calcareous aggregates of the mixture.



NATURAL EFFECT

During molding, the mixtures properly seasoned, become uneven and grainy.



The products are made with natural stones and aggregates, our Company can guarantee their constancy and not their equality.

LAYING AND GENERAL MAINTENANCE WARNINGS.

In order to guarantee a long lasting life to the wall coping we advise to carry out, after the laying, a protective treatment on all the surface with a water resistant and perspiring product, which has to be transparent. Please, clean the surface before making it and spread it evenly on all sides. Our products, due to the fact that are produced using natural aggregates, carved, from local stones, could have different shades of colours.

GENERAL LAYING INSTRUCTIONS

Preparation of the laying surface: 1) clean the wall with water after having removed any kind of impurity; 2) let it dry; 3) remove carefully residual dust; 4) make sure there are no difference in level on the upper part of the wall.

Laying: 1) do not use classic cement mortar, in order to avoid the wall coping coming off over time; 2) use specific glues, following the manufacturer instructions; 3) keep between one wall coping and the other one a distance of about 1,5/2 mm. and use high quality wall putty following the manufacturer instructions; 4) do not use classic cement mortar as wall putty; make sure there are not less than 5 mm of air between plaster and drip; 5) Putty close to the hole around the fence post, avoiding placing more than 5 mm of putty around the fence post. Safety: Adopt the safety devices and regulations in force.



Maglie (Le) √ ITALY Zona Industriale Tel. / Fax +39 0836 423507 Tel. +39 0836 315814

imeritalia.it

commerciale@imerrivestimenti.it

