




JOLLY MASTIC GLASS

LIQUID AND TIXO VERSION





Jolly Mastic Glass is made of combined synthetic resins and it is mainly used to glue and fill up any type of marble and natural stone. It satisfies any request from the end-user thanks to the available densities. With a strong grip, it becomes very tenacious and perfectly polishing after the drying time. The product is a mastic absolutely colorless after hardening*, suitable for particular jobs, such as, for example, if you want keeping the typical marble holes visible, after travertine grouting.

Hardener: Liquid / Colorable: No / Surfaces to

treat: marble, stone, granite and wood.

JOLLY MASTIC

TIXO, SEMISOLID AND LIQUID VERSION



















Jolly Mastic is a product formulated with combined synthetic resins. It is mainly used for gluing and filling all types of marbles and natural stones. It has strong adhesive features and becomes hard and perfectly polishing after drying time. The three available TIXO, SEMISOLID and LIQUID version which facilitate application (see also the new variant semisolid soft) and fast drying properties (a high-speed variant is available for liquid version) quicken production lines. The liquid and semisolid versions are perfect for normal applications where as the tixo density is suitable for vertical applications.

Hardener: Solid / Colorable: Yes / Surfaces to treat: marble, stone and travertine.



JOLLY METALLIC MASTIC M.M.E.

TIXO VERSION 3D EFFECT









Jolly Metallic M.M.E. is a mastic for marble based on synthetic resins and is supplied in three different colours: gold, silver and copper. All of such versions are featured by a high brightness and 3D optical illusion effect. This product has got the same thecnical features of a normal polyester mastic with a plus of the metallic effect coloration ideal for artistic, architects, interiors and other creative and design applications.

Hardener: Solid / Colorable: Yes (coloring pastes) / Surfaces to treat: marble, stone and wood.





LINEA BLU MASTIC

TIXO AND LIQUID VERSION

Thanks to the total absence of styrene, this mastic is an innovative product right to fill any kind of marble and natural stones. The new formula, a mix of unsaturated polyester resins and high boiling acrylic and methacrylic solvents, has got better physical and mechanical characteristics than common mastics. Linea Blu Mastic **can be applied** with a strong adhesive power on all surfaces such as: <u>stone</u>, <u>synthetic stone</u>, <u>wood</u>, <u>glass</u>, <u>ceramic</u>, <u>polystyrene</u>, <u>gres</u>, <u>porcelain and others</u>.

This product is reccomended for **indoor applications** thanks to the innovative no-styrene formula with a low environmental impact, safe for the professional users' health and <u>odorless</u>. It is reccomended for: tilers, floor builder, construction workers.

Available in two different versions: Tixo and Liquid version.

Hardener: Solid / **Colorable**: Yes (only neutral version) / **Surfaces to treat**: marble, natural ans synthetic stone, granite, wood, glass, ceramic, gres, polystyrene and porcelain.









JOLLY MASTIC TRANSPARENT

TRANSPARENT AND TIXO GOLD VERSION

Jolly Mastic Transparent is a mastic based on synthetic resins and it is used to fill all kinds of marbles and natural stones. Thanks to our different available versions, it's easy to apply and always ready to satisfy the different requests. Very strong, it gets hard and perfectly polishing after the drying time. Jolly Mastic Tixo Transparent Gold is a transparent creamy mastic with a light-yellow color, right for particular works to do, such as filling of the travertine, also in vertical position.

Jolly Mastic Transparent version is more transparent than GOLD version, but it is not suitable for vertical processing.











EXTRA RAPID GLUE



Uranium can be applied on: natural and synthetic stone, granite, quartzite, wood, cement, ceramic, gres and porcelain stoneware.

Good resistance for outdoor resistance.



It is a mastic with a light color and absolutely transparent, with high adhesion and short working times which provide for workability after 60 minutes. It also has good adhesion even on quartz agglomerates, wood, and cement with good outdoor resistance. One of the distinctive features is its quick setting. Once hardened, it creates a long-lasting strong, bond between glued surfaces, rest assured that the strength of the bond depends on the materials to be bonded and proper surface preparation. Additionally, its clarity after curing makes it ideal for applications where visibility of bonded surfaces is important or desired.

Advice: To obtain a very light color do not use more than

1% of Hardener



EPOKITT

LIQUID AND SOLID TRANSPARENT EPOXY RESIN

Epokitt epoxy resin is used in civil engineering where high loading filler (flooring), plastering, concrete reinforcement, structural adhesives, high solid paints, and applications to be injected into cracks, are required. This resin can also be used to reinforce marble slabs, by making it penetrates cracks, or even by welding the fiberglass net in the back of a slab. On some types of granite, it may enhance the wet effect. The product has a real strong power adhesion. **Hardener**: Solid or liquid / **Colorable**: Yes (only neutral version) / **Surfaces to treat**: marble, stone, engineered stones, granite and wood.





EPOKITT

EPOXY MASTIC

Epokitt Mastic Epoxy System is a 2k epoxy glue, with inert inorganic charges, tixotropized, and solvent free. As the system is in paste form, it can be applied also to vertical surfaces. Thanks to high reactivity, the system can be used also at low temperatures (up to 5°C). It is ideal for structural adhesion of different materials and shapes (brick, marble, granite, wood, aluminum, iron, porcelain), anchorages, sealing and smoothing. Epokitt Mastic has a neutral color and it can be coloured according to users' needs applications. **Hardener**: Solid / **Colorable**: Yes (coloring pastes) / **Surfaces to treat:** brick, marble, granite, wood, aluminum, iron, porcelain, gres, ceramic, glass, rubber.





R25 LIQUID POLYESTER RESIN

Medium viscosity liquid and transparent resin used to repair crystalline marble or when transparency is required. It can be used for transparent grouting of travertine and similar materials thanks to its exceptional transparency and stability to sunlight. Low shrinkage even in large thicknesses. Excellent reactivity at low temperatures.





BRILLO

Polishing silicone wax



Brillo silicone wax is one of Ilpa Adesivi's best products. One of the best feature of brillo is the **polishing effect on marble, granite, stoneware and all natural stones**. Its formulation, based on the highest quality materials, exerts an effective and long-lasting water and oil-repellent action, penetrating deeply (up to 4 mm) into the treated materials. Brillo presents excellent application properties, including vapor permeability, an unique guarantee of breathability of the treated surfaces and a <u>polishing and exaltation of the colors</u> and veins present on the application support.

Ready to use and easy to apply.



GRANILUX

Colour intensifier



Granilux is a product used to **unify the color of granite, marble and synthetic**. The product gives an excellent polishing and oil-water-repellent action so as to protect the surface against stains, humidity and the absorption of liquids, giving a shine to the treated granite and making it a unique product of its kind. Granilux was designed <u>not only to unify the colors</u> of the treated surface, but also <u>to offer a glossy finish</u> and at the same time create a protective barrier against stains and humidity. <u>Available in black</u> (ideal for the treatment of dark colored stones such as grey, dark grey, green, dark green, African black and similar materials) <u>and neutral</u> (ideal for the treatment of light colored stones and similar materials). <u>Ready to use and easy to apply.</u>

DRAI

Waterproof sealants



It is a protective **water-oil repellent sealants**, *stain-resistant product ideal for marble*, *granite*, *terracotta*, *concrete and stone*. Drai water-repellent prevents water to penetrate the marble, avoiding the formation of algae and mould, and also protects against pollutants and chemical agents, helps prevent dirt from settling and avoids degradation of the treated surfaces. Drai can be applied on floors, tables, worktops, bathroom and kitchen tops and coverings on which it prevents the absorption of liquids such as water, oil, coffee, wine. It does not form a film and penetrates deeply into any type of stone and lithoid material. It does not yellow and does not alter the color of the treated material, allowing it to breathe. Thanks to the technology of this product, it has a very high-performance penetration power through the capillary pores: various tests have highlighted penetrations of up to 4 – 5 mm inside the treated materials. The application of Drai is also suitable on different types of supports, such as: cement, cocciopesto mortars, wood, tuff, carparo, various marbles (Carrara, Bardiglio Fiorito, Rosso Verona, Giallo Siena, granite, travertine, etc.), paints and lime-based coatings, marmorino with high-performance results.

Ready to use and easy to apply.





EXTRADROPS



Wet Effect for marble and granite

Extradrops is the ideal product to **obtain the wet effect** on antique materials and for finishing external floors, brightening up their tone. It is used on materials (marble, granite, stone) with an antique, sandblasted, flamed finish or even on smooth or polished supports depending on the effect you want to obtain. It covers skinny spots and imperfections, improving their appearance and enhancing their colours. Its features of releasing a completely natural final shine makes it an unparalleled product.

Ready to use and easy to apply.



EXTRAWAX

Polishing wax for flooring



Extrawax is a **polishing wax**, obtained from a careful selection of waxes used in the various formulations to obtain a product for professional use. Extrawax is recommended to improve the shine of any marble, granite or stone surface in general. Forms a transparent and shiny film that improves and protects surfaces. Marble polishing wax often contains ingredients that help remove dirt and fingerprints left on the marble surface. By applying it and polishing it with a cloth, it is possible to eliminate surface stains and achieve general cleanliness. It is suitable for use on floors because its formulation helps to remove dirt and fingerprints left on the marble surface. Also available in water-based version.

Ready to use and easy to apply.



EXTRALUX

Self-polishing varnish for stone



Extralux is designed to guarantee an unique polishing effect on marble, stone and granite. The composition has been studied to ensure a long-lasting and absolutely brilliant polish to the treated surface even after exposure to atmospheric agents. The product can be applied to all surfaces where, since it is difficult to proceed with mechanical polishing, it is difficult to make them shiny, such as, for example, corners, edges, corners, edges, columns. In addition to giving a perfect shine, Extralux guarantees the famous "wet effect" in an unparalleled way, enhancing the original color of the stone, increasing its brilliance and also its water repellency.

Ready to use and easy to apply.

VIVC

Color Enhancer


Waterproof protector

Wet Effect



Special for





Vivo is able to penetrate deeply into the material, protecting it from stains, dirt, water and oil. Vivo guarantees the breathability of the surface, with a long-lasting effect waterproof feature.

- 🔯 It is perfect for indoors and outdoors applications;
- 🔯 It is ideal for windowsills, tops, rosettes, decorations;
- 🔯 Enhances the original color of the stone;
- 🔯 Protects against stains and dirt;











YOUR WAX, POLISHES AND SEALANTS GUIDELINE APPLICATION VALUE SCALE FROM: *** - EXCELLENT TO: ** - NOT RECOMMENDED

	BRILLO	EXTRALUX	EXTRAWAX	GRANILUX	DRAI	EXTRADROPS	VIVO
	Solvent based Water based	Solvent based	Solvent based Water based	Solvent based Water based	Solvent based Water based	Solvent based	Solvent based
Brilliance	*	****	*	*	*	*	*
Shine	***	****	***	***	*	***	*
Colour Enhancing	++++	****	***	****	*	***	***
Colourability	*	*	*	***	*	*	***
Wet Efect	*	***	*	*	*	***	***
Water-proof	***	***	***	***	****	***	****
Oil-proof	***	*	*	***	****	*	**
Walkability	**	*	***	****	***	***	****
Indoor application	****	***	***	****	****	***	****
Outdoor application	***	***	**	****	****	****	****
Colour	Black/Neutral	Neutral	Black/Neutral	Black/Neutral	Neutral	Black/Neutral	Neutral
Application	Brush/Pad	Brush/Pad	Pad	Brush/Pad	Brush/Pad	Brush/Pad	Brush/Pad
Polishing	Manual/Mechanical	Not recommended	Mechanical	Manual/Mechanical	Not recommended	Not recommended	Not recommended
MARBLE	****	****	****	****	****	****	****
Granite	***	****	***	****	***	****	****
SYNTETIC STONE	*	****	*	★★★	****	****	****
LIGHT COLOR STONE	****	****	****	****	****	****	****
DARK COLOR STONE	***	****	***	****	****	****	****
Treatment	3/6 months	8/12 months	3/6 months	8/10 months	8/12 months	8/12 months	8/12 months
Type of surface	Polish and rough	Polish and rough	Polish	Polish and rough	Polish and rough	Rough	Rough







ILPA ADESIVI S.R.L.

Via Gaetano Ferorelli, 4 70132 Bari Ph. +39 080 5383837 www.ilpaadesivi.com info@ilpa.it









