



GARDENIA	PAC	CKAGING
Gardenia is a good quality emulsion paint	LT	2,500
that provides a smooth classical matt	LT	5,000
finishing, a warm shade of white and a good	LT	14,000
hiding power to conceal wall imperfections.		

Ideal for new and renovation coatings on all

Tools: brush, roller or airless.

surfaces in living and working areas.

NEVELLA

Nevella is a good quality emulsion paint that provides a smooth classical matt finishing, a bright shade of white and a good hiding power to conceal wall imperfections. Ideal for new and renovation coatings on all

Tools: brush, roller or airless.

surfaces in living and working areas.

PACKAGING

LT 2,500 LT 5,000 LT 14,000

MURIVER

Muriver is an excellent quality emulsion paint that gives a smooth classical matt finish.

This paint is quick-drying, high hiding power, easy application and durable.

Universally usable on all surfaces in living and working areas.

Tools: brush, roller or airless.

PACKAGING

LT 0,750 LT 2,500 LT 5,000 LT 14,000

TRASPIRAN

Traspiran is a top-quality emulsion paint that gives a luxurious white matt finish for internal walls.

This paint is quick-drying, excellent hiding power, easy application and durable.

Universally usable on all surfaces in living and working areas.

Tools: brush, roller or airless.

PACKAGING

LT 2,500 LT 5,000 LT 14,000

DOVER PACKAGING

Dover is a top-quality emulsion paint that gives a luxurious white matt finish for internal walls.

This paint is quick-drying, excellent hiding power, easy application and durable.

Universally usable on all surfaces in living and working areas.

Ideal for gypsum plasterboards.

Tools: brush, roller or airless.

LT 2,500 LT 5,000

LT 14,000

SOLUZIONE SANIFICANTE PER MURO	Ready to use anti-mould solution for the treatment of mould and algae on internal and external surfaces before decorating them.	PACKAGING LT 0,500 LT 1,000 LT 5,000
GAMMASAN	Gammasan is a good quality emulsion paint that prevents mould and mildew growth on the paint film. It provides a smooth classical matt finishing, a bright shade of white and a good hiding power to conceal wall imperfections. Ideal for new and renovation coatings on all surfaces in living and working areas. Tools: brush, roller or airless.	PACKAGING LT 14,000
LAVERSAN	Laversan is an excellent quality emulsion paint that prevents mould and mildew growth on the paint film. It gives a smooth classical matt finish. This paint is quick-drying, high hiding power, easy application and durable. Universally usable on all surfaces in living and working areas. Tools: brush, roller or airless.	PACKAGING LT 0,750 LT 2,500 LT 5,000 LT 14,000
RISANATOR	Risanator is a top-quality emulsion paint that prevents mould and mildew growth on the paint film. It gives a luxurious white matt finish for internal walls. This paint is quick-drying, excellent hiding power, easy application and durable. Universally usable on all surfaces in living and working areas.	PACKAGING LT 2,500 LT 5,000 LT 14,000

Tools: brush, roller or airless.

D-PLUS

D-Plus is a top-quality emulsion paint that prevents mould and mildew growth on the paint film. It gives a luxurious white matt finish for internal walls. This paint is quick-drying, excellent hiding power, easy application and durable. Universally usable on all surfaces in living and working areas. Ideal for gypsum plasterboards.

Tools: brush, roller or airless.

2,500 LT 5,000 LT LT 14,000

MINERALNA

Mineralna is an excellent quality emulsion paint containing calcium hydroxide that helps to prevent mould and mildew growth on the paint film.

It is suitable for interior surfaces subjected to high levels of humidity and condensation. Tools: brush and roller.

PACKAGING

PACKAGING

LT 5.000 LT 14,000

PROTEKTOR

Protektor is а broad-spectrum, liquid fungicidal additive which can be stirred into water-based paints to impart highly effective mould inhibiting properties to the paint film. Add 0,375 It of Protektor to 5,000 It of water-based paint.

Add 1,000 It of Protektor to 14,000 It of water-based paint.

PACKAGING

LT 0,375 LT 1,000

LAVERPAINT		PAC	KAGING
	Laverpaint is an excellent quality, matt,	LT	0,750
	washable paint for interior walls and	LT	2,500
	ceilings.	LT	5,000
	This paint is quick-drying, excellent hiding power,	LT	14,000
	easy application and durable.		
	Tools: brush, roller or airless.		

LAVERTON	PAC	KAGING
Laverton is an excellent quality, 1009	% LT	0,750
acrylic, matt, washable paint for interior an	d LT	2,500
exterior walls and ceilings.	LT	5,000
It gives a luxurious bright white matt finis	h. LT	14,000
This paint is quick-drying, excellent hiding power	er,	
easy application and durable.		
Tools: brush, roller or airless.		

LAVERTON TINTA BASE	Laverton Tinta Base is an excellent quality,	PACKAGING LT 0,750					
IIIIA BAGE	100% styrene-acrylic, matt, heavily pigmented, washable paint for interior and	LT 2,500 LT 14,000					
	exterior walls and ceilings. There are several bolder and intense colour						
	paints in stock. 02 BRIGHT YELLOW						
	03 YELLOW OXIDE						
	04 BRIGHT RED 05 RED OXIDE						
	06 BROWN						
	07 GREEN OXIDE 08 BLUE						
	09 BLACK 02 - 04 - 08 are intended for indoor						
	applications only.						

Tools: brush, roller or airless.

QUARZOWALL

Quarzowall is an excellent quality, 100% acrylic, matt, washable paint for exterior walls and ceilings. The presence of quartz flour gives good weather resistance to the paint film. This paint is quick-drying, excellent hiding power, easy application and durable.

Tools: brush, roller or airless.

PACKAGING

LT 0,750 LT 2,500 LT 5,000 LT 14,000

QUARZOWALL ANTI-ALGAE

Quarzowall Anti-algae is an excellent quality, 100% acrylic, matt, washable paint for exterior walls and ceilings. The presence of quartz flour gives good weather resistance to the paint film. This paint is quick-drying, excellent hiding power, easy application and durable.

It offers, at the same time, an excellent mould and algae resistance.

Tools: brush, roller or airless.

PACKAGING

LT 2,500 LT 5,000 LT 14,000

WALL TEX

Wall Tex is a top-quality, 100% styrene-acrylic, matt, washable paint for exterior walls and ceilings. This paint is quick-drying, excellent hiding power, easy application and durable. It can help to solve the crazing defects in plaster. It offers, at the same time, an excellent mould and algae resistance.

Tools: brush, roller or airless.

PACKAGING

LT 2,500 LT 5,000 LT 14,000

WALL FARBE

Wall Farbe is a top-quality, 100% styreneacrylic, matt, washable paint for exterior walls and ceilings. This paint is quick-drying, excellent hiding power, easy application and durable. It can help to solve the crazing defects in plaster. The presence of quartz flour gives good weather resistance to the paint film.

It offers, at the same time, an excellent mould and algae resistance.

Tools: brush, roller or airless.

PACKAGING

LT 2,500 LT 5,000 LT 14,000

LAVER GUM

Laver Gum is a top-quality, 100% styreneacrylic, matt, washable paint for exterior walls and ceilings. It is a protective anti-carbonation paint for concrete, and it can solve the crazing defects in plaster. The presence of quartz flour gives good weather resistance to the paint film. A fungicide can be added upon request to inhibit mould growth on the coating surface. Tools: brush, roller or airless.

PACKAGING

LT 2,500 LT 5,000 LT 14,000

SATINPLAST

Satinplast is a water-borne low build textured decorative coating for interior use. It is a high-performance satin coating, particularly suitable for surfaces subjected to excessive wear (stores, restaurants, public buildings, etc.) since it is hardwearing and easy to clean.

PACKAGING

LT 2,500 LT 5,000 LT 14,000

Theoretical spreading rate (kg/m 2): 0,500 kg / 1,000 m 2 .

GS 2000

GS 2000 is a water-borne glossy paint for interior use.

It is particularly suitable for high traffic areas since it is hard-wearing and easy to clean.

GS 2000 is also available in satin version. Tools: brush, roller or airless.

PACKAGING

LT 0,375 LT 0,750 LT 2,500 LT 14,000

GRAFFIATO

(thickness 1,6 mm)

Graffiato is applied using a stainless steel trowel or a plastic one. It has a 1,6 mm aggregate added to create a heavy, distinctive scratch finish. The final effect is created with straight movements of the trowel. Theoretical spreading rate (kg/m²): $3,200 \text{ kg} / 1,000 \text{ m}^2$.

A fungicide can be added upon request to inhibit mould growth on the coating surface.

FASSADEN VENEZIA (thickness 1,0/1,2 mm)

Fassaden Venezia is applied using a stainless steel trowel or a plastic one. It has a 1,0/1,2 mm aggregate added to create a distinctive scratch finish. The final effect is created with a circular movement of the trowel. Theoretical spreading rate (kg/m²): $2,000 \text{ kg} / 1,000 \text{ m}^2$.

A fungicide can be added upon request to inhibit mould growth on the coating surface.

FASSADEN RUSTICO (thickness 1,5 mm)

Fassaden Rustico is applied using a stainless steel trowel or a plastic one. It has a 1,5 mm aggregate added to create a distinctive scratch finish. The final effect is created with a circular movement of the trowel. Theoretical spreading rate (kg/m²): $3,000 \text{ kg} / 1,000 \text{ m}^2$.

A fungicide can be added upon request to inhibit mould growth on the coating surface.

INTONACHINO 800 (thickness 0.7 mm)

Intonachino 800 is applied in two coats using a stainless steel trowel or a plastic one. It has a 0,7 mm aggregate added to create a distinctive, fine sand finish. The final effect is created with a uniform movement of the trowel. Theoretical spreading rate (kg/m²): $2,500 \text{ kg} / 1,000 \text{ m}^2 \text{ in two coats.}$ A fungicide can be added upon request to inhibit mould growth on the coating surface.

PACKAGING

KG 9,000 KG 25,000

INTONACHINO 1000 (thickness **1**,0/**1**,2 mm)

Intonachino 1000 is applied using a stainless steel trowel or a plastic one. It has a 1,0/1,2 mm aggregate added to create a distinctive, medium sand finish. The final effect is created with a uniform movement of the trowel. Theoretical spreading rate (kg/m²):

 $2,000 \text{ kg} / 1,000 \text{ m}^2$.

A fungicide can be added upon request to inhibit mould growth on the coating surface.

PACKAGING

PACKAGING

KG 25,000

KG

9,000

KG 9,000 KG 25,000

INTONACHINO 1500 (thickness 1,5 mm)

Intonachino 1500 is applied using a stainless steel trowel or a plastic one. It has 1,5 mm aggregate added to create a distinctive, coarse sand finish. The final effect is created with a uniform movement of the trowel.

Theoretical spreading rate (kg/m²):

 $3,000 \text{ kg} / 1,000 \text{ m}^2$.

1,000-1,200 kg/m².

A fungicide can be added upon request to inhibit mould growth on the coating surface.

RULLATO QUARZO

Water-borne low/medium build textured decorative and protective coating for exterior and interior use. Rullato Quarzo has been developed specifically for roller application. It is a high quality, weather-resistant finish, which may be textured to low/medium stipple effect and orange peel one. Theoretical spreading rate (kg/m²):

ROLLPLASTIC

Water-borne high build textured decorative and protective coating for exterior and interior use. Rollplastic has been developed mainly for roller application. It is a high quality, weather-resistant finish, which may be textured to a variety of designs using various application techniques. Theoretical spreading rate (kg/m²): $3,000 \text{ kg/m}^2$.

PACKAGING

KG 9,000 KG 25,000

PACKAGING 9,000

KG 20,000

KG

PLASTICO "Z"

Water-borne low/medium build textured decorative coating for interior use. Plastico "Z" has been developed mainly for roller application. It is a high quality finish which may be textured to a variety of designs using various application techniques. Theoretical spreading rate (kg/m²): 0,800 kg/m².

PACKAGING

KG 9,000 KG 20,000

CELTIKA PACKAGING Celtika is a sandy textured paint that gives LT 2,500 LT 5.000

an ancient, granular appearance to exterior walls.

It offers, at the same time, an excellent mould and algae resistance.

It is especially suitable as the base coat for Velatura finish.

Celtika has been designed only for roller application.

VELATURA PACKAGING

Velatura is a top quality, decorative, semitransparent paint for interiors and exteriors. It is suitable for several decorative techniques such as color washing, sponging, etc.

Velatura offers, at the same time, an excellent mould and algae resistance.

Stucco Antico Veneziano is a decorative, **ANTICO** polished plaster for interior wall surfaces. **VENEZIANO** It provides a glossy and visually textured

STUCCO

appearance that resembles the breathtaking finishings of the ancient Venetian buildings.

Stucco Antico Veneziano is smooth to touch, odourless and extremely pleasing in appearance.

PACKAGING

LT 14,000

LT

LT

LT

0.750

2,500

5,000 LT 14,000

KG 1.000 KG 4,000 KG 9,000 KG 25,000

SILVERFOND

Silverfond is a transparent, water-borne, styrene-acrylic and siloxane resins based primer. It helps the adhesion of paints, binding dust onto masonry surfaces. At the same time, it preserves water vapour permeability of walls and ceilings.

PACKAGING

LT 5,000 LT 25,000

SILVER

Silver is a top-quality, styrene-acrylic and siloxane resins based, matt, washable paint for exterior walls and ceilings. This paint is good water vapour permeable and good hydrophobic. It can help to solve the crazing defects in plaster. The presence of quartz flour gives good weather resistance to the paint film. It offers, at the same time, an excellent mould and algae resistance. Tools: brush, roller or airless.

PACKAGING

LT 5,000 LT 14,000

VELATURA ACRIL-SILOSSANICA

Velatura Acril-silossanica is a top-quality, styrene-acrylic and siloxane resins based, decorative, semi-transparent paint for interiors and exteriors.

It is suitable for several decorative techniques such as color washing, sponging, etc. It offers, at the same time, an excellent mould and algae resistance.

PACKAGING

LT 5,000 LT 14,000

RIVESTIMENTI ACRIL-SILOSSANICI

They are styrene-acrylic and siloxane resins based, textured decorative coatings for exterior walls and ceilings.

These coatings are good water vapour permeable and good hydrophobic.

They offer, at the same time, an excellent mould and algae resistance.

PACKAGING

KG 25,000

Isacril is a transparent, water-borne, styrene acrylic latex based primer. It helps the adhesion of paints to masonry surfaces and also provides a layer of uniform porosity that prevents irregular paint absorption on

heterogeneous surfaces.

PICO PLUS! Pico Plus! is a deep penetrating, transparent, water-borne, pure acrylic nanolatex based primer. PACKAGING LT 1,000 LT 5,000

It consolidates and unifies the integrity of interior and exterior surfaces (masonry, concrete, cement render, brickwork, etc.).

Isostart is a deep penetrating, whitepigmented, water-borne, pure acrylic LT 2,500 nanolatex based primer. LT 2,500 LT 14,000

It consolidates and unifies the integrity of interior and exterior surfaces (masonry, concrete, cement render, brickwork, etc.).

LAVER FOND								PAC	KAGING
	Laver	Fond	is	а	deep	penetra	ting,	LT	1,000
	transparent,		solv	ent-l	based	primer	for	LT	5,000
	consoli	dating	and	unif	ying the	e integrity	y of	LT	25,000

such

concrete, cement render, brickwork, etc.

as

masonry,

exterior surfaces

NIKOTON Nikoton is a white-pigmented, solvent-borne primer. It blocks the migration of nicotine, tar and other smoke greasy stains through PACKAGING LT 0,750 LT 2,500 LT 14,000

to the surface before the actual decoration

REPELLENT 777

began.

Repellent 777 is a deep penetrating, solvent-based water repellent which contains a polysiloxane resin in a mineral spirits carrier. It provides long lasting protection to porous masonry surfaces such as concrete, block, pavers, brick and unglazed tile against deterioration or staining, but, at the same time, it doesn't change the appearance of the surfaces.

PACKAGING

LT 1,000 LT 5,000 LT 25,000

COLLANTE ACRILICO IN PASTA

Collante Acrilico in Pasta is an acrylic-based adhesive paste for Exterior Thermal Insulation Systems.

It is a paste consisting of an acrylic copolymer requiring the addition of about 50% in weight grey cement.

Use it to glue thermal insulation panels on flat exterior surfaces and to fix fibreglass mesh to them.

PACKAGING

KG 25,000

STUCCOQUARZ

Stuccoquarz is a heavy-duty tough, ready to use filler, suitable for both interior and exterior use.

It is perfect for filling cracks and holes and for smoothing wide surfaces on ceilings and walls.

PACKAGING

KG 1,000 KG 4,000 KG 9,000 KG 25,000

STUCCO PER RASATURE INTERNE

Stucco per Rasature Interne is a readymixed filler for interiors. It is perfect for filling cracks and holes and for smoothing wide surfaces on ceilings and walls.

KG 1,000

KG 4,000 KG 9,000 KG 25,000

ANTIRUGGINE SINTETICA GRIGIA	Antiruggine Sintetica Grigia is a grey, solvent-based, zinc phosphate metal primer that inhibits rust, preventing the spread of corrosion. Apply by brush, roller or airless sprayer on surfaces that are sound, dry and free from grease, wax and oil.	PACKAGING LT 0,375 LT 0,750 LT 2,500 LT 14,000
SIMENT	Siment is a white, matt, solvent-based undercoat with excellent filling and levelling properties for a smooth finish on wood surfaces. It is available only in white colour.	PACKAGING LT 0,375 LT 0,750 LT 2,500 LT 14,000
XINTEKO SOLVENT BASED GLOSSY ENAMEL	Xinteko is a solvent-based traditional glossy finish for wood or metal exterior surfaces. It is formulated with an alkyd resin, that produces a durable, smooth even finish, and with zinc phosphate that inhibits rust, preventing the spread of corrosion. Apply by brush, roller or airless sprayer on surfaces that are sound, dry and free from grease, wax and oil.	PACKAGING LT 0,375 LT 0,750 LT 2,500 LT 14,000
SETALAK SOLVENT BASED SATIN ENAMEL	Setalak is a solvent-based traditional satin finish for wood or metal exterior surfaces. It is formulated with an alkyd resin, that produces a durable, smooth even finish, and with zinc phosphate that inhibits rust, preventing the spread of corrosion. Apply by brush, roller or airless sprayer on surfaces that are sound, dry and free from	PACKAGING LT 0,375 LT 0,750 LT 2,500 LT 14,000

grease, wax and oil.

Laverflatting is a solvent-based, glossy varnish for exterior timber. LT 0,375 lt has a flexible, hardwearing and resistant to UV attack film. LT 14,000

LT 14,000

GREEN PACKAGING

Line marking paint for natural grass LT 14,000 surfaces.

GREEN PLUS PACKAGING

Top quality line marking paint for natural LT 14,000 grass surfaces.

WOOD MARKER PACKAGING

Wood Marker is a waterborne, ready-to-use paint, specifically to give the cut end of lumber or logs end the protection and beauty that the mills and customers demand.



