

New**Door**
Design e Qualità
Made in Italy



Let quality knock at your door

New Door srl

Sales Manager: Vanni Borro

Mobile: + 39 334 2153150

vanni@newdooritalia.com

www.newdooritalia.com

Company Presentation:

New Door is a young company with deep roots in the past:

it was established in 2013 by Mauro Pillon, who boasts 30 years of expertise in the industry.

New Door has rapidly become a reference company thanks to the professionalism of its employees and the high quality and reliability of its front door panels, sandwich panels, and other similar products. Thanks to its specific knowledge and know-how, our company stands out for its ability to clad all kind of materials, even the most demanding ones — not only in PVC films, but also in fabric, paper and other coating films. Moreover, all New Door products must pass a complex, highly-selective peeling test, which ultimately underlines our search for top quality year after year. New Door is one of the few companies abiding by the RAL-GZ 716 standard for cladding.

We only work with high-quality raw materials and are able to provide custom solutions in order to satisfy even the most demanding clients: this has allowed New Door to grow rapidly both in Italy and in foreign markets.

Our customers choose New Door not only for its technical expertise or the quality of its products — which can withstand even extreme weather conditions, — but also for their beautiful, elegant designs and fine details.

Our knowledge, expertise, and design skills make all New Door products, including front doors, the ideal décor elements for embellishing and refining your house.

Exterior Doors

OPEN THE DOOR TO A NEW KIND OF DÉCOR:

New Door Modern Line front doors not only perform their maximum security and insulation duties as best as possible, but are also a preview of the style and design expressed by your whole house.

To best satisfy even the most demanding customer's needs, New Door provides a wide range of different styles: from simple, conventional lines to more intricate and visually striking ones, from a clean, minimalist design up to a mix of different materials (e.g. frosted stainless steel).

Specifically, New Door also provides flash-mount processing to create a unique, luxury Modern Line door, improving its design with simple, consistent lines.



Meridiana



Ducale Vetrato

Calle Larga



Cladding/Lamination

TREATMENT PROCESS

Aluminium and steel sheets are processed appropriately, coated on one side with a wood-look or plain-colour PVC film for exterior applications (manufactured by RENOLIT® or HORNSCHUCH®), and then glued by means of a specific outdoor adhesive. The finished side is finally coated with a removable protective film.

➤ **ALUMINIUM SHEET METAL FOR DEEP DRAWING**

This kind of sheet metal is used to manufacture front door panels.

➤ **STEEL OR ALUMINIUM SHEET METAL FOR BENDING**

This kind of sheet metal is used to manufacture joints for window profiles and sills, column cladding, and generic infill walls, as well as in the aluminium and PVC window industry

➤ **HPL SHEETS**

This kind of sheets is used to manufacture doors, sandwich panels for infill walls, ventilated walls and so on.

➤ **OTHER USES AND MANUFACTURING PROCESSES**

New Door can manufacture claddings for several industries, from the shipbuilding to the caravan sector — as well as for mobile homes, furniture and ventilated façades. Our know-how allows us to clad not only sheet metal, but also honeycomb materials, Alucobond panels, HPL sheets, and MDF panels

Availability

✓ ALUMINIUM SHEET METAL FOR DEEP DRAWING

Total Thickness: 1,2mm (1,0mm aluminium + 0,2mm PVC)

Dimension: 2100x900 mm & 2250x1000 mm

Other sizes and thickness available upon request

➤ STEEL OR ALUMINIUM SHEET METAL FOR BENDING

Total Thickness: **Aluminum:** 1,4mm (1,2mm aluminium + 0,2mm PVC)

1,2mm (1,0mm aluminium + 0,2mm PVC)

Steel: 0,8mm (0,6mm steel + 0,2mm PVC)

1,2mm (1,0mm aluminium + 0,2mm PVC)

Dimension: **Aluminium:** 3000x1300 mm & 4000x1300 mm

Steel: 3000x1250 mm

Other sizes and thickness available upon request

➤ HPL SHEETS

Total Thickness: 1,0mm – 2,0 mm – 4,0 mm – 8,00 mm

Dimension: 2150x900 mm & 2250x1000 mm & 3050x1300 mm

Other sizes and thickness available upon request

New Door srl

Address: Via Francesco Guardi snc

31038 - Paese (TV) - Italy

Telephone: +39 0422448944

E-mail: info@newdooritalia.com

