



 **CIZETA**



**Lawn mowers**





Our company, located in the province of Lecco in the north of Italy, was founded by people who have been working in the production of garden machines for more than 30 years.

Our experience has allowed us to create a range of lawn mowers with high quality, reliable and heavy duty steel chassis. Recommended for professionals and a demanding public.

Constructed in Italy with components produced by Italian companies, they are supplied with powerful petrol Briggs & Stratton or RATO engines and Battery engines.

Our Lawn mowers are sold in Italy and Europe principally through an authorised sales network that guarantees immediate assistance and available spare parts for a long period of time.

They are supplied with the best system of grass cutting and collecting with the possibility of rear discharge or mulching and have passed all the mechanical and sound tests for EC certification.

Our strength is that we have created a range of reliable machines that are easy to maintain and repair. The machines have many parts in common, greatly reducing the number of spare parts and their cost.







## CZ 42 push



Model	CZ 42 push B&S	CZ 42 push RATO
Type	Push lawnmower 2 in 1 (Grass catcher, rear discharge)	Push lawnmower 2 in 1 (Grass catcher, rear discharge)
Engine	Briggs & Stratton 300 (125cc) or 500E (140cc)	Rato RVM 120 (120.7cc)
Drive system	Push	Push
Cutting width	39 cm	39 cm
Grass collector	Soft net grass catcher 45 litres	Soft net grass catcher 45 litres
Cutting height adjustment	Centralized height adjustment with one lever 20-70 mm with 5 positions	Centralized height adjustment with one lever 20-70 mm with 5 positions
Wheels size	Front 150 mm rear 180 mm with ball bearings	Front 150 mm rear 180 mm with ball bearings
Deck	Painted steel 1.5 mm thickness	Painted steel 1.5 mm thickness
Upper handle	Foldable	Foldable
Weight	23 kg	22 Kg

## CZ 47 push



Model	CZ 47 push B&S	CZ 47 push RATO
Type	Push lawnmower 3 in 1 (Grass catcher, rear discharge and mulching)	Push lawnmower 3 in 1 (Grass catcher, rear discharge and mulching)
Engine	Briggs & Stratton 500E (140cc)	Rato RVM 120 (120.7cc) or RV 145-S (144.3cc)
Drive system	Push	Push
Cutting width	45 cm	45 cm
Grass collector	Soft net grass catcher 65 litres	Soft net grass catcher 65 litres
Cutting height adjustment	Centralized height adjustment with one lever 20-70 mm with 5 positions	Centralized height adjustment with one lever 20-70 mm with 5 positions
Wheels size	Front 180 mm rear 200 mm with ball bearings	Front 180 mm rear 200 mm with ball bearings
Deck	Painted steel 1.5 mm thickness, with cleaning water nozzle	Painted steel 1.5 mm thickness, with cleaning water nozzle
Upper handle	Foldable with anti-vibration soft grip	Foldable with anti-vibration soft grip
Weight	27 kg	26 Kg



## CZ 47 TR ECO self propelled



Model	CZ 47 TR ECO self propelled B&S	CZ 47 TR ECO self propelled RATO
Type	Self propelled lawnmower 3 in 1 (Grass catcher, rear discharge and mulching)	Self propelled lawnmower 3 in 1 (Grass catcher, rear discharge and mulching)
Engine	Briggs & Stratton 500E (140cc)	Rato RVM 120 (120.7cc) or RV 145-S (144.3cc)
Drive system	Self propelled one speed 3.0 km/h Nylon gear box	Self propelled one speed 3.0 km/h Nylon gear box
Cutting width	45 cm	45 cm
Grass collector	Soft net grass catcher 65 litres	Soft net grass catcher 65 litres
Cutting height adjustment	Centralized height adjustment with one lever 20-70 mm with 5 positions	Centralized height adjustment with one lever 20-70 mm with 5 positions
Wheels size	Front 180 mm rear 200 mm with ball bearings	Front 180 mm rear 200 mm with ball bearings
Deck	Painted steel 1.5 mm thickness, with cleaning water nozzle	Painted steel 1.5 mm thickness, with cleaning water nozzle
Upper handle	Foldable with anti-vibration soft grip	Foldable with anti-vibration soft grip
Weight	30 kg	29 Kg

## CZ 47 TR self propelled



Model	CZ 47 TR self propelled B&S	CZ 47 TR self propelled RATO
Type	Self propelled lawnmower 3 in 1 (Grass catcher, rear discharge and mulching)	Self propelled lawnmower 3 in 1 (Grass catcher, rear discharge and mulching)
Engine	Briggs & Stratton 500E (140cc) or 625E (150cc)	Rato RVM 120 (120.7cc) or Rato RV145-S (144.3cc)
Drive system	Self propelled one speed 3.0 km/h Aluminium gear box with bronze gear	Self propelled one speed 3.0 km/h Aluminium gear box with bronze gear
Cutting width	45 cm	45 cm
Grass collector	Net grass catcher 70 litres and upper plastic cover to protect operator from the dust	Net grass catcher 70 litres and upper plastic cover to protect operator from the dust
Cutting height adjustment	Centralized height adjustment with one lever 25-75 mm with 5 positions	Centralized height adjustment with one lever 25-75 mm with 5 positions
Wheel size	Front 180 mm rear 280 mm with ball bearings	Front 180 mm rear 280 mm with ball bearings
Deck	Painted steel 1.5 mm thickness, with cleaning water nozzle	Painted steel 1.5 mm thickness, with cleaning water nozzle
Upper handle	Foldable with anti-vibration soft grip	Foldable with anti-vibration soft grip
Weight	32 kg	31 Kg





## CZ 53 push



Model	CZ 53 push B&S	CZ 53 push RATO
Type	Push lawnmower 3 in 1 (Grass catcher, rear discharge and mulching)	Push lawnmower 3 in 1 (Grass catcher, rear discharge and mulching)
Engine	Briggs & Stratton 500E (140cc)	Rato RV 145-S (144.3cc)
Drive system	Push	Push
Cutting width	51 cm	51 cm
Grass collector	Soft net grass catcher 65 litres	Soft net grass catcher 65 litres
Cutting height adjustment	Centralized height adjustment with one lever 20-70 mm with 5 positions	Centralized height adjustment with one lever 20-70 mm with 5 positions
Wheels size	Front 180 mm rear 200 mm with ball bearings	Front 180 mm rear 200 mm with ball bearings
Deck	Painted steel 1.5 mm thickness, with cleaning water nozzle	Painted steel 1.5 mm thickness, with cleaning water nozzle
Upper handle	Foldable with anti-vibration soft grip	Foldable with anti-vibration soft grip
Weight	27,5 kg	26,5 Kg

## CZ 53 TR ECO self propelled



Model	CZ 53 TR ECO self propelled B&S	CZ 53 TR ECO self propelled RATO
Type	Self propelled lawnmower 3 in 1 (Grass catcher, rear discharge and mulching)	Self propelled lawnmower 3 in 1 (Grass catcher, rear discharge and mulching)
Engine	Briggs & Stratton 650EXi (163cc) or 675EXi (163cc)	Rato RV 145-S (144.3cc) or RV 170-S (170.1cc)
Drive system	Self propelled one speed 3.0 km/h Nylon gear box	Self propelled one speed 3.0 km/h Nylon gear box
Cutting width	51 cm	51 cm
Grass collector	Soft net grass catcher 65 litres	Soft net grass catcher 65 litres
Cutting height adjustment	Centralized height adjustment with one lever 20-70 mm with 5 positions	Centralized height adjustment with one lever 20-70 mm with 5 positions
Wheels size	Front 180 mm rear 200 mm with ball bearings	Front 180 mm rear 200 mm with ball bearings
Deck	Painted steel 1.5 mm thickness, with cleaning water nozzle	Painted steel 1.5 mm thickness, with cleaning water nozzle
Upper handle	Foldable with anti-vibration soft grip	Foldable with anti-vibration soft grip
Weight	30,5 kg	29,5 Kg



## CZ 53 TR self propelled



Model	CZ 53 TR self propelled B&S	CZ 53 TR self propelled RATO
Type	Self propelled lawnmower 3 in 1 (Grass catcher, rear discharge and mulching)	Self propelled lawnmower 3 in 1 (Grass catcher, rear discharge and mulching)
Engine	Briggs & Stratton 650EXi (163cc) or 675EXi (163cc)	Rato RV 170-S (170.1cc) or RV 175 (174cc)
Drive system	Self propelled one speed 3.0 km/h. Aluminium gear box with bronze gear	Self propelled one speed 3.0 km/h Aluminium gear box with bronze gear
Cutting width	51 cm	51 cm
Grass collector	Net grass catcher 70 litres and upper plastic cover to protect operator from the dust	Net grass catcher 70 litres and upper plastic cover to protect operator from the dust
Cutting height adjustment	Centralized height adjustment with one lever 25-75 mm with 5 positions	Centralized height adjustment with one lever 25-75 mm with 5 positions
Wheels size	Front 180 mm rear 280 mm with ball bearings	Front 180 mm rear 280 mm with ball bearings
Deck	Painted steel 1.5 mm thickness, with cleaning water nozzle	Painted steel 1.5 mm thickness, with cleaning water nozzle
Upper handle	Foldable with anti-vibration soft grip	Foldable with anti-vibration soft grip
Weight	33 kg	32 Kg

## CZ 53 TRV self propelled variable speed



Model	CZ 53 TRV variator B&S	CZ 53 TRV variator RATO
Type	Self propelled lawnmower 3 in 1 (Grass catcher, rear discharge and mulching)	Self propelled lawnmower 3 in 1 (Grass catcher, rear discharge and mulching)
Engine	Briggs & Stratton 650EXi (163cc) or 675EXi (163cc)	Rato RV 170-S (170.1cc) or RV 175 (174cc)
Drive system	Variable speed self propelled from 2.6 km/h to 4 Km/h. Aluminium gear box with bronze gear and variable pulley	Variable speed self propelled from 2.6 km/h to 4 Km/h Aluminium gear box with bronze gear and variable pulley
Cutting width	51 cm	51 cm
Grass collector	Net grass catcher 70 litres and upper plastic cover to protect operator from the dust	Net grass catcher 70 litres and upper plastic cover to protect operator from the dust
Cutting height adjustment	Centralized height adjustment with one lever 25-75 mm with 5 positions	Centralized height adjustment with one lever 25-75 mm with 5 positions
Wheels size	Front 180 mm rear 280 mm with ball bearings	Front 180 mm rear 280 mm with ball bearings
Deck	Painted steel 1.5 mm thickness, with cleaning water nozzle	Painted steel 1.5 mm thickness, with cleaning water nozzle
Upper handle	Foldable with anti-vibration soft grip	Foldable with anti-vibration soft grip
Weight	34,5 kg	33,5 Kg





## CZ 53 TR PRO self propelled



Model	CZ 53 TR PRO self propelled B&S	CZ 53 TR PRO self propelled RATO
Type	Self propelled lawnmower 4 in 1 (Grass catcher, rear discharge, mulching and side discharge)	Self propelled lawnmower 4 in 1 (Grass catcher, rear discharge, mulching and side discharge)
Engine	Briggs & Stratton 675EXi (163cc)	Rato RV 170-S (170.1cc)
Drive system	Self propelled one speed 3.0 km/h Aluminium gear box with bronze gear	Self propelled one speed 3.0 km/h. Aluminium gear box with bronze gear
Cutting width	51 cm	51 cm
Grass collector	Net grass catcher 75 litres and upper plastic cover to protect operator from the dust	Net grass catcher 75 litres and upper plastic cover to protect operator from the dust
Cutting height adjustment	Centralized height adjustment with one lever 25-75 mm with 5 positions	Centralized height adjustment with one lever 25-75 mm with 5 positions
Wheels size	Front 180 mm rear 280 mm with ball bearings	Front 180 mm rear 280 mm with ball bearings
Deck	Painted steel 1.5 mm thickness, with cleaning water nozzle	Painted steel 1.5 mm thickness, with cleaning water nozzle
Upper handle	Foldable with anti-vibration soft grip. Professional handles d. 25 mm	Foldable with anti-vibration soft grip. Professional handles d. 25 mm
Weight	34 kg	33 Kg

## CZ 53 TR 360° manoeuvring self propelled



Model	CZ 53 TR 360° manoeuvring B&S	CZ 53 TR 360° manoeuvring RATO
Type	Self propelled lawnmower 4 in 1 (Grass catcher, rear discharge, mulching and side discharge)	Self propelled lawnmower 4 in 1 (Grass catcher, rear discharge, mulching and side discharge)
Engine	Briggs & Stratton 675EXi (163cc)	Rato RV 170-S (170.1cc)
Drive system	Self propelled one speed 3.0 km/h Aluminium gear box with bronze gear	Self propelled one speed 3.0 km/h. Aluminium gear box with bronze gear
Cutting width	51 cm	51 cm
Grass collector	Net grass catcher 75 litres and upper plastic cover to protect operator from the dust	Net grass catcher 75 litres and upper plastic cover to protect operator from the dust
Cutting height adjustment	Height adjustment with one lever 25-75 mm with 5 positions on the rear wheels and with pins on front wheels	Height adjustment with one lever 25-75 mm with 5 positions on the rear wheels and with pins on front wheels
Wheels size	Front 180 mm rear 280 mm with ball bearings	Front 180 mm rear 280 mm with ball bearings
Deck	Painted steel 1.5 mm thickness, with cleaning water nozzle	Painted steel 1.5 mm thickness, with cleaning water nozzle
Upper handle	Foldable with anti-vibration soft grip. Professional handles d. 25 mm	Foldable with anti-vibration soft grip. Professional handles d. 25 mm
Weight	40 kg	39 Kg





## CZ 51 BIO push



Model	CZ 51 BIO push B&S	CZ 51 BIO push RATO
Type	Push lawnmower 2 in 1 (mulching and side discharge)	Push lawnmower 2 in 1 (mulching and side discharge)
Engine	Briggs & Stratton 500E (140cc)	Rato RV 145-S (144.3cc)
Drive system	Push	Push
Cutting width	50 cm	50 cm
Cutting systems	Mulching or side discharge	Mulching or side discharge
Cutting height adjustment	4 single levers 20-70 mm with 5 position	4 single levers 20-70 mm with 5 position
Wheels size	Front 180 mm rear 180 mm with ball bearings	Front 180 mm rear 180 mm with ball bearings
Deck	Painted steel 1.5 mm thickness	Painted steel 1.5 mm thickness
Upper handle	Foldable with anti-vibration soft grip	Foldable with anti-vibration soft grip
Weight	21 kg	20 Kg

## CZ 53 TR BIO PRO self propelled



Model	CZ 53 TR BIO PRO B&S	CZ 53 TR BIO PRO RATO
Type	Professional Mulching self propelled lawnmower for high grass	Professional Mulching self propelled lawnmower for high grass
Engine	Briggs & Stratton 850PXi (190cc)	Rato RV 225 (223cc)
Drive system	Self propelled one speed 2.9 km/h. Aluminium gear box with bronze gear	Self propelled one speed 2.9 km/h Aluminium gear box with bronze gear
Cutting width	51 cm	51 cm
Cutting systems	Mulching for high grass with double blades. Pulverize the grass and fertilize the lawn	Mulching for high grass with double blades. Pulverize the grass and fertilize the lawn
Cutting height adjustment	Centralized height adjustment with one lever 20-70 mm with 5 positions	Centralized height adjustment with one lever 20-70 mm with 5 positions
Wheels size	Front 200 mm rear 280 mm with ball bearings	Front 200 mm rear 280 mm with ball bearings
Deck	Painted steel 2.0 mm thickness	Painted steel 2.0 mm thickness
Upper handle	Foldable with anti-vibration soft grip	Foldable with anti-vibration soft grip
Weight	37 kg	39,5 Kg



## CZ 53 TRV BIO PRO Self propelled variable speed



Model	CZ 53 TRV BIO PRO variator B&S	CZ 53 TRV BIO PRO variator RATO
Type	Professional Mulching self propelled lawnmower for high grass	Professional Mulching self propelled lawnmower for high grass
Engine	Briggs & Stratton 850PXi (190cc)	Rato RV 225 (223cc)
Drive system	Variable speed self propelled from 2.6 km/h to 4 Km/h Aluminium gear box with bronze gear and variable pulley	Variable speed self propelled from 2.6 km/h to 4 Km/h Aluminium gear box with bronze gear and variable pulley
Cutting width	51 cm	51 cm
Cutting systems	Mulching for high grass with double blades. Pulverize the grass and fertilize the lawn	Mulching for high grass with double blades. Pulverize the grass and fertilize the lawn
Cutting height adjustment	Centralized height adjustment with one lever 20-70 mm with 5 positions	Centralized height adjustment with one lever 20-70 mm with 5 positions
Wheels size	Front 200 mm rear 280 mm with ball bearings	Front 200 mm rear 280 mm with ball bearings
Deck	Painted steel 2.0 mm thickness	Painted steel 2.0 mm thickness
Upper handle	Foldable with anti-vibration soft grip	Foldable with anti-vibration soft grip
Weight	38 kg	40,5 Kg

## CZ S400 push SCARIFIER



Model	CZ S400 B&S 3,5
Type	Scarifier
Engine	Briggs & Stratton XR3.5 (127cc)
Drive system	Push
Working width	40 cm (16 floating blades)
Grass collector	Soft net grass catcher 50 litres
Working height adjustment	Centralized height adjustment with one knob 0-25 mm
Wheels size	Front 180 mm rear 180 mm with ball bearings
Deck	Painted steel 2 mm thickness
Upper handle	Foldable with anti-vibration soft grip
Weight	37 kg





## CZ 42 E40V battery lawnmower push



Model	CZ42 E40V push 40V 2Ah	CZ42 E40V push 40V 4Ah
Type	Battery push lawnmower 2 in 1 (Grass catcher, rear discharge)	Battery push lawnmower 2 in 1 (Grass catcher, rear discharge)
Engine	Brushless 800W 40 Volt 2Ah Litium battery	Brushless 800 W 40 Volt 4Ah Litium battery
Drive system	Push	Push
Cutting width	39 cm	39 cm
Unloading time	18 min	36 min
Max working time	10 min	19 min
Max working area	200 m <sup>2</sup>	400 m <sup>2</sup>
Grass collector	Soft net grass catcher 45 litres	Soft net grass catcher 45 litres
Cutting heigh adjustment	Centralized height adjustment with one lever 20-70 mm with 5 positions	Centralized height adjustment with one lever 20-70 mm with 5 positions
Wheels size	Front 150 mm rear 180 mm with ball bearings	Front 150 mm rear 180 mm with ball bearings
Deck	Painted steel 1.5 mm thickness	Painted steel 1.5 mm thickness
Upper handle	Foldable with anti-vibration soft grip	Foldable with anti-vibration soft grip
Weight	19 kg	19,5 Kg

## CZ 47 E40V battery lawnmower push



Model	CZ47 E40V push 40V 4Ah
Type	Battery push lawnmower 3 in 1 (Grass catcher, rear discharge and mulching)
Engine	Brushless 1200 W 40 Volt 4Ah Litium battery and fast charger
Drive system	Push
Cutting width	45 cm
Unloading time	24 min
Max working time	16 min
Max working area	430 m <sup>2</sup>
Grass collector	Soft net grass catcher 65 litres
Cutting heigh adjustment	Centralized height adjustment with one lever 20-70 mm with 5 positions
Wheels size	Front 180 mm rear 200 mm with ball bearings
Deck	Painted steel 1.5 mm thickness
Upper handle	Foldable with anti-vibration soft grip
Weight	23,5 kg



## CZ 47 TR E40V battery lawn mower self propelled



Model	CZ47 TR E40V 40V 4Ah
Type	Battery self propelled lawnmower 3 in 1 (Grass catcher, rear discharge and mulching)
Engine	Brushless 1200 W 40 Volt 4Ah Litium battery and fast charger
Drive system	Self propelled one speed 3.0 km/h Nylon gear box
Cutting width	45 cm
Unloading time	22 min
Max working time	15 min
Max working area	410 m <sup>2</sup>
Grass collector	Soft net grass catcher 65 litres
Cutting heigh adjustment	Centralized height adjustment with one lever 20-70 mm with 5 positions
Wheels size	Front 180 mm rear 200 mm with ball bearings
Deck	Painted steel 1.5 mm thickness
Upper handle	Foldable with anti-vibration soft grip
Weight	26,5 kg

## CZ BC E40V battery brush cutter



Model	CZ BC E40V 2Ah	CZ BC E40V 4Ah
Type	Battery Brush cutter	Battery Brush cutter
Engine	Brushless 40 Volt 2Ah Litium battery	Brushless 40 Volt 4Ah Litium battery
Power	500 W	500 W
Cutting system	Trimmer head (380mm) Or Blade (250mm)	Trimmer head (380mm) Or Blade (250mm)
Speed	4500 RPM (Brush Cutter ) or 6000 RPM (Grass trimmer)	4500 RPM (Brush Cutter ) or 6000 RPM (Grass trimmer)
Unloading time	21 min	40 min
Max working time	17 min	35 min
Nylon head type	Auto feed	Auto feed
Shaft Type	Straight	Straight
Handel Type	Loop	Loop
Weight	3.7 Kg	4,1 Kg





## CZ BW E40V battery blower



Model	CZ BW E40V 2Ah	CZ BW E40V 4Ah
Type	Battery Blower	Battery Blower
Engine	Brush 40 Volt 2Ah Litium battery	Brush 40 Volt 4Ah Litium battery
Max working time	30 minutes low speed - 13 minutes high speed	60 minutes low speed – 26 minutes high speed
Max air volume	6.5cbm/min - 9cbm/min	6.5cbm/min - 9cbm/min
Max air speed	88km/h - 120km/h	88km/h - 120km/h
Weight	4.4 Kg	4,8 Kg

## CZ HT E40V battery hedge trimmer



Model	CZ HT E40V 2Ah	CZ HT E40V 4Ah
Type	Battery hedge trimmer	Battery hedge trimmer
Engine	Brush 40 Volt 2Ah Litium battery	Brush 40 Volt 4Ah Litium battery
Power	350 W	350 W
Blade length	52 cm	52 cm
Blade Speed	1350 RPM	1350 RPM
Teeth distance	23 mm	23 mm
Unloading time	43 min	86 min
Max working time	34 min	68 min
Cutting type	Laser cut	Laser cut
Blade type	Dual	Dual
Rotatable handle	Yes, 180°	Yes, 180°
Weight	4 kg	4,4 kg



## CZ CS E40V battery chain saw



Model	CZ CS E40V 2Ah	CZ CS E40V 4Ah
Type	Battery chain saw	Battery chain saw
Engine	Brushless 40 Volt 2Ah Litium battery	Brushless 40 Volt 4Ah Litium battery
Power	1200 W	1200W
Blade length	14"	14"
Chian speed	17 m/s	17 m/s
Unloading time	26 min	52 min
Max working time	13 min	27 min
Oil tank	180ml	180 ml
Oil pump	Automatic	Automatic
Tensioning System	Quick Side tensioning	Quick Side tensioning
Weight	4,8 kg	5,2 Kg







## CZ BT E40V battery




Model	CZ BT E40V 2AH	CZ BT E40V 4AH
Type	Litum-ion battery	Litum-ion battery
Voltage	40 Volt	40 Volt
Capacity	2 Ah	4 Ah
Chargin Time (standard charger)	75 min	150 min
Chargin Time (fast charger)	30 min	55 min
Weight	0,9 Kg	1,3 Kg

## CZ CH E40V charger 40 volt



Model	CZ CH E40V 2AH	CZ CH E40V 5AH
Type	Standard charger	Fast charger
Voltage	Input 220 volt - Output 40 volt	Input 220 volt - Output 40 volt
Output current	2 Ah	5 Ah
Weight	0.95 Kg	1.1 Kg



 **CIZETA**

CIZETA SRL  
20871 Vimercate (MB) Italy - Piazza Unità d'Italia 3/C  
Phone: +39 3711477361 - E-mail: [info@cizetagarden.it](mailto:info@cizetagarden.it)  
<https://cizetagarden.it>